AUTHOR INDEX
1988 Volume 22

A

Abe H *see* Camacho S A *et al*
Abelmann W H *see* Kishimoto C *et al*
Abrahams C *see* Doering C W *et al*
Acad B-A, Shenko J M, Eliades D and Weiss H R Effect of prolonged propranolol administration and withdrawal on perfusion of the myocardial capillary bed, 793
Agarwal J B *see* Akaishi M *et al*
Askenase A D *et al*
Aghili S *see* Doering C W *et al*
Agrawal A *see* Daugirdas J T *et al*
Ahn H C, Ekroth R, Hedenmark J, Nilsson G E, and Svedjeholm R Assessment of myocardial perfusion in the empty beating porcine heart with laser Doppler flowmetry, 719
Ajioka M *see* Fukushima A *et al*
Sugiyama A *et al*
Akaishi M, Schneider R M, Seelaus P A, Klein L W, Agarwal J B, Helfant R H, and Weintraub W S A non-linear elastic model of contraction of ischaemic segments, 889
Akutsu T *see* Nishimura T *et al*
Alonso J *see* Garcia-Dorado D *et al*
Amemiya H *see* Nishimura T *et al*
Amsterdam E A *see* Rendig S V *et al*
Anand I S *see* Wanless R B *et al*
Anselone C G *see* Pantely G A *et al*
Apfel H and Vassalle M Acetylcholine induces overdrive excitation in sheep Purkinje fibres, 425
Araki H *see* Sakaino N *et al*
Arlock P, Liu B, Wohlfart B, and Johansson B W A comparison of some force-interval relations in rat, hedgehog, and human cardiac preparations, 601 *abst*
—— *see also* Wohlfart B *et al*
Ascher W *see* Pilger E *et al*
Asgrimsson H *see* Jóhannson M and Asgrimsson H
Askenase A D, Naccarella F F, Weintraub W S, Klein L W, Agarwal J B, and Helfant R H Contractile function and reserve during acute ischaemia in the canine lateral border zone, 122
Avilés F F *see* Garcia-Dorado D *et al*
Awata N *see* Ohta H *et al*
Azuma J *see* Ohta H *et al*

B

Balint S *see* Tosaki A *et al*
Bardelli M *see* Carretta R *et al*
Bargeron C B, Deters O J, Mark F F, and Friedman M H Effect of flow partition on wall shear in a cast of a human coronary artery, 340
Basmadjian A *see* De Lorgeril M *et al*
Bateman N T *see* Baudouin S V and Bateman N T
Baudouin S V and Bateman N T Effect of amiloride on contractility of rat cardiac muscle exposed to chronic hypercapnia and acute acidosis, 754
Baxter K, Wiseman S, Powell J, and Greenhalgh R Pilot study of a screening test for peripheral arterial disease in middle aged men: fibrinogen as a possible risk factor, 300
Beaudry J P *see* Fitchett D H *et al*
Beller G A *see* Gascho J A *et al*
Benedet P *see* Bounameaux H *et al*
Berkowitz K, Conahan S, and Vogel W H Alprazolam decreases isoproterenol induced myocardial damage in the rat, 414
Bernardi L *see* Perlini S *et al*
Berry J M *see* Lax D *et al*
Bertuch H *see* Pilger E *et al*
Bianchetti A *see* Carretta R *et al*
Bjerregaard P *see* Kjeldsen K *et al*
Blanche P Maison- *see* Maison-Blanche P
Bleifeld W *see* Hamm C W *et al*
Böhm M, Brückner R, Schäfer H, Schmitz W, and Scholz H Inhibition of the effects of adenosine on force of contraction and the slow calcium inward current by pertussis toxin is associated with myocardial lesions, 87
Bohms W, Herzig S, Staschen C-M, and Ziegler A Semi-random stimulation of isolated myocardium, 594 *abst*
Book K *see* Wernerman J *et al*
Bottinelli R, Poggesi C, Polla B, and Reggiani C Effects of thyroid state and beta adrenergic stimulation on mechanical restitution of rat ventricular myocardium, 597 *abst*
Botvinick E H *see* Camacho S A *et al*
Bounameaux H, Griessen M, Benedet P, Krahenbuhl B, and Deom A Nicotine induced haemodynamic changes during cigarette smoking and nicotine gum chewing: a placebo controlled study in young healthy volunteers, 154
Bove A A *see* Chien S *et al*
Boyett M R *see* McCall E *et al*
Bredehorst R *see* Hamm C W *et al*
Brentano C Funck- *see* Funck-Brentano C
Bristow J D *see* Pantely G A *et al*
British Society for Cardiovascular Research, symposium, Guildford, April 1988: abstracts, 584
Brostoff J *see* Hind C R K *et al*
Broughton A *see* Smolich J J *et al*
Brückner R *see* Böhm M *et al*
Brum J M *see* Chien S *et al*
Burkhoff D *see* Schaefer J *et al*

C

Calciati A *see* Perlini S *et al*
Camacho S A, Parmley W W, James T L, Abe H, Wu S T, Botvinick E H, Watters T A, Schiller N, Sievers R, and Wikman-Coffelt J Substrate regulation of the nucleotide pool during regional ischaemia and reperfusion in an isolated rat heart preparation: a phosphorus-31 magnetic resonance spectroscopy analysis, 193
Camm A J *see* Lau C P *et al*
Campanacci L *see* Carretta R *et al*
Campbell C S *see* Wright G *et al*
Campbell R W F *see* Walker M J A *et al*
Campbell T J *see* Pallandi R T and Campbell T J
Cannon N J *see* Duff H J *et al*
Carretta R, Fabris B, Bardelli M, Muiesan S, Fischetti F, Cesanelli R, Pizzolitto A, Bianchetti A, and Campanacci L Acute effects of intravenous infusions of alcohol on baroreceptor sensitivity in essential hypertension, 226
Cate F J Ten *see* Ten Cate F J
Cauchy M J *see* Desjardins S *et al*
Cesanelli R *see* Carretta R *et al*
Chapman R A Role of the sodium-calcium exchange in the Bowditch effect, 592, *abst*
Chatham J C, Seymour A-M L, Harmsen E and Radda G K Depletion of myocardial glutathione: its effects on heart function and metabolism during ischaemia and reperfusion, 833
Chien S, Diana J N, Brum J M, and Bove A A A simple technique for producing supravalvular aortic stenosis in animals, 739

CHIHARA S, KODAMA I, and TOYAMA J Frequency and voltage dependent effects on AN-132, a new class I anti-arrhythmic agent, on Vmax of action potential upstroke in guinea pig ventricular muscles, 648
CHUONG C J C *see* GENTILE B J *et al*
CLARKE R H *see* STEG P G *et al*
CLAVIN O *see* FISCHER E I C *et al*
CLUNIE G J *see* MOTTRAM P L *et al*
COBBE S M Modification of class III anti-arrhythmic activity in abnormal myocardium: editorial, 847
—— *see also* SIMPSON I A *et al*
WALKER M J A *et al*
COFFELT J WIKMAN- *see* WIKMAN-COFFELT J
COKER S J *see* WALKER M J A *et al*
COLES J G *see* DASMAHAPATRA H K *et al*
CONAHAN S *see* BERKOWITZ K *et al*
CONSTANTINESCU M *see* SANTAMORE W P *et al*
COOPER I C and FRY C H Mechanical restitution in hypertrophied human myocardium, 596 *abst*
—— Mechanical restitution of isolated human myocardium is described by two exponential recovery processes, 596 *abst*
CORABOEUF E, DEROUBAIX E, ESCANDE D, and COULOMBE A Comparative effects of three class I antiarrhythmic drugs on plateau and pacemaker currents of sheep cardiac Purkinje fibres, 375
CORRECTION 158
COULOMBE A *see* CORABOEUF E *et al*
COUMEL P *see* FUNCK-BRENTANO C *et al*
COVELL J W *see* RAIZADA V *et al*
CROFTS C *see* TROWBRIDGE A and CROFTS C
CROTTOGINI A J *see* FISCHER E I C *et al*
CRUMPACKER C S *see* KISHIMOTO C *et al*
CURTIS M J and WALKER M J A Quantification of arrhythmias using scoring systems: an examination of seven scores in an in vivo model of regional myocardial ischaemia, 656
—— *see also* WALKER M J A *et al*

D

DANDONA P *see* TSANG V *et al*
DANGMAN K H, DRESDNER K P, and MICHLER R E Transmembrane action potentials and intracellular potassium activity of baboon cardiac tissues, 204
DASMAHAPATRA H K, WILSON G J, DAVID S L, KIELMANOWICZ S, KENT G, GOKHALE S N, GORCZYNSKI R, SHORE A, and COLES J G A new technique of experimental heterotopic cardiac transplantation, 296
DAUGIRDAS J T, WANG X, NUTTING C, SWANSON V, and AGRAWAL A Depressant effect of acetate in isolated cardiac tissue, 566
DAURES J P *see* FERRIERE M *et al*
DAVID S L *see* DASMAHAPATRA H K *et al*
DE FORTEZA E *see* FISCHER E I C *et al*
DE GEEST H *see* JANG I-K *et al*
DE LORGERIL M, ROUSSEAU G, BASMADJIAN A, and LATOUR J-G Lignocaine in experimental myocardial infarction: failure to prevent neutrophil accumulation and ventricular fibrillation and to reduce infarct size, 439
DE MEY C, HANSEN-SCHMIDT S, and ENTERLING D Postprandial haemodynamic changes: a source of bias in cardiovascular research affected by its own methodological bias, 703
DE WERF F VAN *see* VAN DE WERF F
DECK J D and THUBRIKAR M J Structure, stress and tissue repair in aortic valve leaflets: correspondence reply, 746
—— THUBRIKAR M J, SCHNEIDER P J and NOLAN S P Structure, stress, and tissue repair in aortic valve leaflets, 7
DECKEN A VON DER *see* VON DER DECKEN A
DEJESUS S R *see* STEG P G *et al*
DELL'ITALIA L J and WALSH R A Application of a time varying elastance model to right ventricular performance in man, 864
DEOM A *see* BOUNAMEAUX H *et al*
DEPPERT W *see* SCHAEFER J *et al*
DER DECKEN A VON *see* VON DER DECKEN A
DER GIESSEN W J VAN *see* VAN DER GIESSEN W J
DER HOEVEN G M A VAN *see* VAN DER HOEVEN G M A
DER LAARSE A VAN *see* VAN DER LAARSE A
DER VEEN F H VAN *see* VAN DER VEEN F H
DEROUBAIX E *see* CORABOEUF E *et al*
DESJARDINS S, MUELLER R W, and CAUCHY M J A pressure overload model of congestive heart failure in rats, 696
DETERS O J *see* BARGERON C B *et al*
DIANA J N *see* CHIEN S *et al*
DICKINSON K E J *see* WINTER R J D *et al*
DIEDERICH K W *see* KATUS H A *et al*
DOERING C W, JALIL J E, JANICKI J S, PICK R, AGHILI S, ABRAHAMS C, and WEBER K T Collagen network remodelling and diastolic stiffness of the rat left ventricle with pressure overload hypertrophy, 686
DORADO D GARCIA- *see* GARCIA-DORADO D
DORMANDY T L *see* HIND C R K *et al*
DOWNEY H F *see* MERRILL G F *et al*
DRAKE H F *see* HIND C R K *et al*
TAGGART P *et al*
DRESDNER K P *see* DANGMAN K H *et al*
DUFF H J, SHELDON R S and CANNON N J Tetrodotoxin: sodium channel specific anti-arrhythmic activity, 800
DUMBLE L J *see* MOTTRAM P L *et al*

E

EGLOFF L *see* RITTER M *et al*
EINZIG S *see* LAX D *et al*
EKROTH R *see* AHN H C *et al*
ELIADES D *see* ACAD B-A *et al*
ELIZAGA J *see* GARCIA-DORADO D *et al*
ELLINGSEN Ø *see* VENGEN Ø A *et al*
ELSPERGER J *see* LAX D *et al*
EMANUEL R W *see* TAGGART P *et al*
ENTERLING D *see* DE MEY C *et al*
ESCANDE D *see* CORABOEUF E *et al*
ESSED C E *see* VAN DER GIESSEN W J *et al*

F

FABRIS B *see* CARRETTA R *et al*
FARILLA C *see* PERLINI S *et al*
FERRIERE M, SELLES J P, PANIS G, PANIS R, LACHERETZ I, SEGUIN J, JABER H, DAURES J P, and GORGET C Intramyocardial distribution of hydroquinidine in the dog, 372
FINARDI G *see* PERLINI S *et al*
FISCHER E I C, SPINELLI J C, WILLSHAW P, CROTTOGINI A J, DE FORTEZA E, CLAVIN O, VALENTINUZZI M E, and PICHEL R H Detection of left ventricular regional myocardial ischaemia in dogs by intraventricular conductance catheter, 185
FISCHETTI F *see* CARRETTA R *et al*
FITCHETT D H, SIMKUS G J, BEAUDRY J P, and MARPOLE D G F Reflected pressure waves in the ascending aorta: effect of glyceryl trinitrate, 494
FLAMENG W *see* JANG I-K *et al*
FLANAGAN T L *see* GASCHO J A *et al*
FLEMING S *see* LAU C P *et al*
FOLTS J D *see* KELLER J W and FOLTS J D
FORRESTER T *see* ZHANG J-N *et al*
FORTEZA E DE *see* DE FORTEZA E
FRANKLIN D *see* FUJITA M *et al*
FREDHOLM B B *see* SYLVÉN C *et al*

FREEDMAN A R *see* LAU C P *et al*
FRIBERG P Diastolic characteristics and cardiac energetics of isolated hearts exposed to volume and pressure overload, 329
FRIEDMAN M H *see* BARGERON C B *et al*
FROEHLICH K C *see* SCHREINER W *et al*
FRY C H *see* COOPER I C and FRY C H
NORBAT L N and FRY C H
FUJITA M, MCKOWN D P, MCKOWN M D, and FRANKLIN D Effects of glyceryl trinitrate on functionally regressed newly developed collateral vessels in conscious dogs, 639
FUJITA T *see* NISHIMURA T *et al*
FUKUSHIMA A, HAYAKAWA M, SUGIYAMA S, AJIOKA M, ITO T, SATAKE T, and OZAWA T Cardiovascular effects of leukotoxin (9,10-epoxy-12-octadecenoate) and free fatty acids in dogs, 213
FUKUZAKI H *see* YOKOYAMA M *et al*
FUNCK-BRENTANO C, COUMEL P, LORENTE P, MAISON-BLANCHE P, and SLAMA R Rate dependence of ventricular extrasystoles: computer identification and quantitative analysis, 101

G

GAL D *see* STEG P G *et al*
GAMMAGE M D *see* WILKINS M R *et al*
GARCIA-DORADO D, THÉROUX P, ELIZAGA J, AVILÉS F F, ALONSO J, and SOLARES J Influence of tachycardia and arterial hypertension on infarct size in the pig, 620
GARNER D, GINZTON L E, JAGELS G and LAKS M M A new technique for producing myocardial infarction using coronary artery balloon occlusion, 42
GASCHO J A, FLANAGAN T L, JENNINGS C F, and BELLER G A Mechanism of remote myocardial ischaemia after coronary occlusion in open chest dogs, 398
GEARY G G and NORRIS R M Propranolol and vagal nerve stimulation do not affect postsystolic shortening during acute myocardial ischaemia in the dog, 527
GEBREMEDHIN D, KOLTAI M Z, POGÁTSA G, MAGYAR K, and HADHÁZY P Influence of experimental diabetes on the mechanical responses of canine coronary arteries: role of endothelium, 537
GEEST H DE *see* DE GEEST H
GELBAND H *see* LODGE N J and GELBAND H
GENTILE B J, GROSS D R, CHUONG C J C, and HWANG N H C Segmental volume distensibility of the canine thoracic aorta in vivo, 385
GEWIRTZ H *see* RUOCCO N A *et al*
GIESSEN W J VAN DER *see* VAN DER GIESSEN W J
GINZTON L E *see* GARNER D *et al*
GOKHALE S N *see* DASMAHAPATRA H K *et al*
GORCZYNSKI R *see* DASMAHAPATRA H K *et al*
GORDON T *see* HOWLETT S E *et al*
GORGET C *see* FERRIERE M *et al*
GOTO M *see* KAJIYA F *et al*
GREENHALGH R *see* BAXTER K *et al*
GRIESSEN M *see* BOUNAMEAUX H *et al*
GRIFFIN J F *see* HIND C R K *et al*
GROSS D R *see* GENTILE B J *et al*
GUAZZI M D *see* MORUZZI P *et al*

H

HADHÁZY P *see* GEBREMEDHIN D *et al*
HAMAGUCHI T *see* OHTA H *et al*
HAMAOKA K *see* NAKAGAWA M *et al*
HAMM C W, KUPPER W, BREDEHORST R, HILZ H, and BLEIFELD W Quantification of coronary venous adenosine in patients: limitations evaluated by radioimmunoassay, 236
HANSEN-SCHMIDT S *see* DE MEY C *et al*
HARMSEN E *see* CHATHAM J C *et al*
HARNESS J B *see* WALKER M J A *et al*
HARRIS P *see* WANLESS R B *et al*
HARRON D W G *see* WALKER M J A *et al*
HASEGAWA J *see* KOTAKE H *et al*
HASENKAM J M, ØSTERGAARD J H, PEDERSEN E M, PAULSEN P K, NYGAARD H, SCHURIZEK B A, and JOHANNSEN G A model for acute haemodynamic studies in the ascending aorta in pigs, 464
—— PEDERSEN E M, ØSTERGAARD J H, NYGAARD H, PAULSEN P K, JOHANNSEN G, and SCHURIZEK B A Velocity field and turbulent stresses downstream of biological and mechanical aortic valve prostheses implanted in pigs, 472
HASSINEN I E *see* UUSIMAA P A *et al*
HATTORI T *see* NAKAGAWA M *et al*
HAYAKAWA M *see* FUKUSHIMA A *et al*
HEARSE D J *see* WALKER M J A *et al*
HEDENMARK J *see* AHN H C *et al*
HELFANT R H *see* AKAISHI M *et al*
ASKENASE A D *et al*
HELLER B A, PAULSON D J, KOPP S J, PEACE D G, and TOW J P Depressed in vivo myocardial reactivity to dobutamine in streptozotocin diabetic rats: influence of exercise training, 417
HERMANS W T *see* VAN DER VEEN F H *et al*
HERZIG S *see* BOHMS W *et al*
HESS O M *see* RITTER M *et al*
HIEDA N, TOKI Y, SUGIYAMA S, ITO T, SATAKE T, and OZAWA T Prostaglandin I_2 analogue and propranolol prevent ischaemia induced mitochondrial dysfunction through the stabilisation of lysosomal membranes, 219
HIGGINS A J *see* WALKER M J A *et al*
HILTUNEN J K *see* UUSIMAA P A *et al*
HILZ H *see* HAMM C W *et al*
HIND C R K, GRIFFIN J F, PACK S, LATCHMAN Y E, DRAKE H F, JONES H M, BROSTOFF J, DORMANDY T L, and TREASURE T Effect of cardiopulmonary bypass on circulating concentrations of leucocyte elastase and free radical activity, 37
HIRAI S *see* KOTAKE H *et al*
HIRAMATSU O *see* KAJIYA F *et al*
HOEVEN G M A VAN DER *see* VAN DER HOEVEN G M A
HOFFMEISTER H M, STORF R and SEIPEL L Effects of graded intensity of oxygen deficiency on function and energy metabolism in post-ischaemic myocardium, 881
HONG K *see* INO T *et al*
HORI M *see* SAKAI A *et al*
HOSOMI H *see* MORITA H *et al*
HOWLETT S E, RAFUSE V F and GORDON T (^{3}H)-Nitrendipine binding sites in normal and cardiomyopathic hamsters: absence of a selective increase in putative calcium channels in cardiomyopathic hearts, 840
HWANG N H C *see* GENTILE B J *et al*

I

IGAWA O *see* KOTAKE H *et al*
ILEBEKK A *see* VENGEN Ø A *et al*
IMHOLZ B P M, VAN MONTFRANS G A, SETTELS J J, VAND DER HOEVEN G M A, KAREMAKER J M, AND WIELING W Continuous non-invasive blood pressure monitoring: reliability of Finapres device during the Valsalva manoeuvre, 390
INKPEN P M *see* WINTER R J D *et al*
INO T, KARAGUEUZIAN H S, HONG K, MEESMANN M, MANDEL W J, and PETER T Relation of monophasic action potential recorded with contact electrode to underlying transmembrane action potential properties in isolated cardiac tissues: a systematic microelectrode validation study, 255

INOUE A, TAKAHASHI H, LEE L-C, SASAKI S, KOHNO Y, TAKEDA K, YOSHIMURA M, and NAKAGAWA M Retardation of the development of hypertension in DOCA salt rats by taurine supplement, 351
INOUE H, MAHOMED Y, KOVACS R J, and ZIPES D P Surgery for Wolff-Parkinson-White syndrome interrupts efferent vagal innervation to the left ventricle and to the atrioventricular node in the canine heart, 163
ISHIZUKA T Effect of circulation time on plasma high density lipoprotein cholesterol in rats, 368
ISNER J M *see* STEG P G *et al*
ITO T *see* FUKUSHIMA A *et al*
HIEDA N *et al*

J

JABER H *see* FERRIERE M *et al*
JAGELS G *see* GARNER D *et al*
JALIL J E *see* DOERING C W *et al*
JAMES T L *see* CAMACHO S A *et al*
JANCZEWSKI A M, LEWARTOWSKI B, PYTKOWSKI B, and PROKOPCZUK A Calcium exchange and the force-interval relations, 591 *abst*
JANG I-K, VAN DE WERF F, VANHAECKE J, FLAMENG W, and DE GEEST H Long term spontaneous evolution of left ventricular function after experimental acute coronary occlusion, 501
JANICKI J S *see* DOERING C W *et al*
JANSE M J *see* WALKER M J A *et al*
JANSSON E *see* WERNERMAN J *et al*
JENNI R *see* RITTER M *et al*
JENNINGS C F *see* GASCHO J A *et al*
JEREMY J Y *see* TSANG V *et al*
JOHANNSEN G *see* HASENKAM J M *et al*
JOHANSEN J VINTEN- *see* VINTEN-JOHANSEN J
JOHANSSON B W *see* ARLOCK P *et al*
WOHFART B *et al*
JÓHANNSSON M and ASGRIMSSON H Mechanical restitution and post-extracontraction potentiation in guinea pig and rat atria, 589 *abst*
JOHNSTON W E, VINTEN-JOHANSEN J, PATEL A, and SANTAMORE W P Do overlapping vessels protect against canine right ventricular infarction after right coronary artery occlusion? 786
—— *see also* SANTAMORE W P *et al*
JONES C E *see* MERRILL G F *et al*
JONES H M *see* HIND C R K *et al*
JONZON B *see* SYLVÉN C *et al*
JULIAN D G *see* WALKER M J A *et al*

K

KAIJSER L *see* SYLVÉN C *et al*
KAJIYA F, TSUJIOKA K, OGASAWARA Y, WADA Y, HIRAMATSU O, GOTO M, NAKAI M, TADAOKA S, MATSUOKA S, and SHA Y Effect of packed cell volume on diastolic coronary artery pressure-flow relations in the dog, 545
KARAGUEUZIAN H S *see* INO T *et al*
KAREMAKER J M *see* IMHOLZ B P M *et al*
KASHIKI M *see* YOKOYAMA M *et al*
KATORI M *see* SASAKI K *et al*
KATUS H A, DIEDERICH K W, UELLNER M, REMPPIS A, SCHULER G, and KÜBLER W Myosin light chains release in acute myocardial infarction: non-invasive estimation of infarct size, 456
KELLER J W and FOLTS J D Relative effects of cigarette smoke and ethanol on acute platelet thrombus formation in stenosed canine coronary arteries, 73
KENNER T, PFEIFFER K P, and SEED A Clinical studies of spontaneous interval variation, 595 *abst*
KENT G *see* DASMAHAPATRA H K *et al*
KIELMANOWICZ S *see* DASMAHAPATRA H K *et al*
KIKAWADA R *see* SASAKI K *et al*
KIMURA T *see* SAKAINO N *et al*
KINUGAWA T *see* KOTAKE H *et al*
KISHIMOTO C, CRUMPACKER C S, and ABELMANN W H Prevention of murine coxsackie B3 viral myocarditis and associated lymphoid organ atrophy with recombinant human leucocyte interferon alpha A/D, 732
KISHIMOTO S *see* OHTA H *et al*
KJELDSEN K, BJERREGAARD P, RICHTER E A, THOMSEN P E B, and NØRGAARD A Na^+,K^+-ATPase concentration in rodent and human heart and skeletal muscle: apparent relation to muscle performance, 95
KLAASSEN B KOP *see* KOP-KLAASSEN B
KLEIN L W *see* AKAISHI M *et al*
ASKENASE A D *et al*
KLEINERT R *see* PILGER E *et al*
KODAMA I *see* CHIHARA S *et al*
KOHNO Y *see* INOUE A *et al*
KOLARI P J, PEKANMÄKI K, and POHJOLA R T Transcutaneous oxygen tension in patients with post-thrombotic leg ulcers: treatment with intermittent pneumatic compression, 138
KOLTAI M Z *see* GEBREMEDHIN D *et al*
KOP-KLAASSEN B *see* VAN DER VEEN F H *et al*
KOPP S J *see* HELLER B A *et al*
KORNER P I *see* SMOLICH J J *et al*
KOTAKE H, KINUGAWA T, HIRAI S, IGAWA O, YAMASAKI J, HASEGAWA J, and MASHIBA H Effects of amoxapine on electrophysiological properties of rabbit sinoatrial node, 505
KOVACS R J *see* INOUE H *et al*
KOZUKA T *see* NISHIMURA T *et al*
KRAHENBUHL B *see* BOUNEMEAUX H *et al*
KRAYENBUEHL H P *see* RITTER M *et al*
KÜBLER W *see* KATUS H A *et al*
KÜMMEL L Ca,Mg-ATPase activity of permeabilised rat heart cells and its functional coupling to oxidative phosphorylation of the cells, 359
KUPPER W *see* HAMM C W *et al*
KUSSMAUL W G, WIELAND J M, and LASKEY W K Pressure-flow relations in the pulmonary artery during myocardial ischaemia: implications for right ventricular function in coronary disease, 627

L

LAARSE A VAN DER *see* VAN DER LAARSE A
L'ABBATE A *see* PELOSI G *et al*
LAB M J *see* WALKER M J A *et al*
LACHERETZ I *see* FERRIERE M *et al*
LADLEY H D *see* PANTELY G A *et al*
LAKS M M *see* GARNER D *et al*
LAMERS J M J *see* VAN DER GIESSEN W J *et al*
LAMMER J *see* PILGER E *et al*
LANDE K *see* VENGEN Ø A *et al*
LANGER G A Role of sarcolemmal phospholipid in cardiac excitation-contraction coupling, 588 *abst*
LASKEY W K *see* KUSSMAUL W G *et al*
LATCHMAN Y E *see* HIND C R K *et al*
LATOUR J-G *see* DE LORGERIL M *et al*
LAU C P, FREEDMAN A R, FLEMING S, MALIK M, CAMM A J and WARD D E Hysteresis of the ventricular paced QT interval in response to abrupt changes in pacing rate, 67
LAW W R, MCLANE M P and RAYMOND R M Effect of insulin on myocardial contractility during canine endotoxin shock, 777

LAX D, ZHANG S-L, LI Y, WILLIAMS L, BERRY J M, ELSPERGER J, STALEY N A, NOREN G R and EINZIG S Reduced lipid peroxidation in dilated hearts of cardiomyopathic turkeys, 826
LEE L-C *see* INOUE A *et al*
LEVANTESI D *see* PELOSI G *et al*
LEVINE H J *see* STEG P G *et al*
LEWARTOWSKI B *see* JANCZEWSKI A M *et al*
LEWIS H M *see* WILKINS M R *et al*
LI Y *see* LAX D *et al*
LIE R K *see* SCHAEFER J *et al*
LITTLE W C *see* SANTAMORE W P *et al*
LITTLER W A, STALLARD T J, and ROWLANDS D B Forearm haemodynamics and blood pressure variability in hypertensive patients, 287
LIU B, RAVENS U, WANG X-L, and WETTWER E Studies on isolated myocytes, 590 *abst*
—— *see also* ARLOCK P *et al*
WOHLFART B *et al*
LODGE N J and GELBAND H Effects of hypoxia on calcium fluxes and force development in the neonatal rat atrium, 520
LORENTE P *see* FUNCK-BRENTANO C *et al*
LORGERIL M DE *see* DE LORGERIL M

M

MA W-S *et al* ZHANG J-N *et al*
MCCALL E, ORCHARD C H, and BOYETT M R Ryanodine, acidosis, and short term mechanical restitution in ferret papillary muscles, 602 *abst*
MCGRATH J C *see* SMITH G C S and MCGRATH J C
MCILROY M B *see* SEITZ W S and MCILROY M B
MCKOWN D P *see* FUJITA M *et al*
MCKOWN M D *see* FUJITA M *et al*
MCLANE M P *see* LAW W R *et al*
MAETA H *see* SAKAI A *et al*
MAGYAR K *see* GEBREMEDHIN D *et al*
MAHOMED Y *see* INOUE H *et al*
MAISON-BLANCHE P *see* FUNCK-BRENTANO C *et al*
MALIK M *see* LAU C P *et al*
MANABE H *see* NISHIMURA T *et al*
MANDEL W J *see* INO T *et al*
MANNING A S *see* WALKER M J A *et al*
MARK F F *see* BARGERON C B *et al*
MARPOLE D G F *see* FITCHETT D H *et al*
MARZILLI M *see* PELOSI G *et al*
MASHIBA H *see* KOTAKE H *et al*
MASON A *see* MOTTRAM P L *et al*
MATRE K and SEGADAL L Simultaneous measurement of velocity, diameter, flow and pressure in the ascending aorta of cats. Evaluation of an extractable Doppler ultrasound probe for continuous monitoring of aortic blood flow, 855
MATSUOKA S *see* KAJIYA F *et al*
MAUVE I *see* MOHANLAL R W *et al*
MAZGALEV T *see* PELLEG A *et al*
MEESMANN M *see* INO T *et al*
MERRILL G F, DOWNEY H F, YONEKURA S, WATANABE N, and JONES C E Adenosine deaminase attenuates canine coronary vasodilatation during regional non-ischaemic myocardial hypoxia, 345
MEY C DE *see* DE MEY C
MICHELSON E L *see* PELLEG A *et al*
MICHLER R E *see* DANGMAN K H *et al*
MIKHAILIDIS D P *see* TSANG V *et al*
MIKKELSEN E O *see* NYBORG N C B and MIKKELSEN E O
MIRISKLAVOS A *see* MOTTRAM P L *et al*
MITSUOKA T *see* PELLEG A *et al*
MIYA J *see* SAKAI A *et al*
MOHANLAL R W, MAUVE I, ZOET A C M, and VAN DER LAARSE A Reperfusion induced enzyme release: washout effect or manifestation of reperfusion damage? 603
MOHL W *see* SCHREINER W *et al*
MONTFRANS G A VAN *see* VAN MONTFRANS G A
MORITA H, NISHIDA Y, MOTOCHIGAWA H, WATANABE Y, and HOSOMI H Depressed baroreflex control of renal nerve activity in conscious WHHL rabbits, 679
MORUZZI P, SGANZERLA P and GUAZZI M D Pulmonary vasomotor responses to neural activation in man, 25
MOST A S *see* RUOCCO N A *et al*
MOTOCHIGAWA H *see* MORITA H *et al*
MOTTRAM P L, SMITH J A, MASON A, MIRISKLAVOS A, DUMBLE L J, and CLUNIE G J Electrocardiographic monitoring of cardiac transplant in mice, 315
MUELLER R W *see* DESJARDINS S *et al*
MUIESAN S *see* CARRETTA R *et al*
MURAKAMI T *see* RITTER M *et al*

N

NACCARELLA F F *see* ASKENASE A D *et al*
NAGAI S *see* SUGIYAMA S *et al*
NAKAGAWA M, HAMAOKA K, HATTORI T, and SAWADA T Postnatal DNA synthesis in hearts of mice: autoradiographic and cytofluorometric investigations, 575
—— *see also* INOUE A *et al*
NAKAI M *see* KAJIYA F *et al*
NATTEL S and QUANTZ M A Pharmacological response of quinidine induced early afterdepolarisations in canine cardiac Purkinje fibres: insights into underlying ionic mechanisms, 808
NEUMANN F *see* SCHREINER W *et al*
NILSSON G E *see* AHN H C *et al*
NISHI K *see* SAKAINO N *et al*
NISHIDA Y *see* MORITA H *et al*
NISHIMURA T, SADA M, SASAKI H, YUTANI C, FUJITA T, AMEMIYA H, KOZUKA T, AKUTSU T, and MANABE H Assessment of severity of cardiac rejection in heterotopic heart transplantation using indium-111 antimyosin and magnetic resonance imaging, 108
NOBLE M I M An introduction to modern work on the Bowditch phenomenon, 586 *abst*
NOLAN S P *see* DECK J D *et al*
NONOGI H *see* RITTER M *et al*
NORBAT L N and FRY C H An investigation into the properties of human hypertrophic myocardium, 600 *abst*
NOREN G R *see* LAX D *et al*
NØRGAARD A *see* KJELDSEN K *et al*
NORRIS R M *see* GEARY G G and NORRIS R M
NORTHOVER B J *see* WALKER M J A *et al*
NUTTING C *see* DAUGIRDAS J T *et al*
NYBORG N C B and MIKKELSEN E O Serotonin response increases with age in rat coronary resistance arteries, 131
NYGAARD H *see* HASENKAM J M *et al*

O

OGASAWARA Y *see* KAJIYA F *et al*
OHSHIMA N *see* SAKAI A *et al*
OHTA H, AZUMA J, AWATA N, HAMAGUCHI T, TANAKA Y, SAWAMURA A, KISHIMOTO S, and SPERELAKIS N Mechanism of the protective action of taurine against isoprenaline induced myocardial damage, 407
ORCHARD C H *see* MCCALL E *et al*
ØSTERGAARD J H *see* HASENKAM J M *et al*
OZAWA T *see* FUKUSHIMA A *et al*
HIEDA N *et al*
SUGIYAMA S *et al*

P

Pack S *see* Hind C R K *et al*
Pallandi R T and Campbell T J Selective depression of conduction of premature action potentials in canine Purkinje fibres by class Ib antiarrhythmic drugs: comparison with Ia and Ic drugs, 171
Panis G *see* Ferriere M *et al*
Panis R *see* Ferriere M *et al*
Pantely G A, Bristow J D, Ladley H D, and Anselone C G Effect of coronary sinus occlusion on coronary flow, resistance, and zero flow pressure during maximum vasodilatation in swine, 79
Papa L *see* Santamore W P and Papa L
Parmley W W *see* Camacho S A *et al*
Paro M *see* Perlini S *et al*
Parratt J R *see* Walker M J A *et al*
Patel A *see* Johnston W E *et al*
Paulsen P K *see* Hasenkam J M *et al*
Paulson D J *see* Heller B A *et al*
Peace D G *see* Heller B A *et al*
Pedersen E M *see* Hasenkam J M *et al*
Pekanmäki K *see* Kolari P J *et al*
Pelleg A, Mitsuoka T, Mazgalev T and Michelson E L Interacting negative chronotropic effects of adenosine and the vagus nerve on the canine sinus node, 55
Pelosi G, L'abbate A, Trivella M G, Vacche M D, Levantesi D, Taddei L, and Marzilli M Persistence of subendocardial perfusion after subtotal coronary embolisation, 113
Perlini S, Soffiantino F, Farilla C, Soldá P, Calciati A, Paro M, Finardi G and Bernardi L Load dependence of isovolumic relaxation in intact heart: facts or artifacts? 47
Peter T *see* Ino T *et al*
Pfeiffer K P *see* Kenner T *et al*
Pichel R H *see* Fischer E I C *et al*
Pick R *see* Doering C W *et al*
Pieper G M Superoxide dismutase plus catalase improves post-ischaemic recovery in the diabetic heart, 916
Pilger E, Lammer J, Kleinert R, Ascher W, and Bertuch H Laser angioplasty with a contact probe for the treatment of peripheral vascular disease, 149
Ping J S T S *see* Wright G *et al*
Pizzolitto A *see* Carretta R *et al*
Pogátsa G *see* Gebremedhin D *et al*
Poggesi C *see* Bottinelli R *et al*
Pohjola R T *see* Kolari P J *et al*
Polla B *see* Bottinelli R *et al*
Poole-Wilson P A *see* Wanless R B *et al*
Powell J *see* Baxter K *et al*
Prince M R Laser angioplasty in peripheral vascular disease: correspondence, 446
Prokopczuk A *see* Janczewski A M *et al*
Pytkowski B *see* Janczewski A M *et al*

Q

Quantz M A *see* Nattel S and Quantz M A

R

Radda G K *see* Chatham J C *et al*
Rafuse V F *see* Howlett S E *et al*
Raizada V, Sahn D J, and Covell J W Factors influencing late right ventricular ejection, 244
Ravens U *see* Liu B *et al*
Raymond R M *see* Law W R *et al*
Reggiani C *see* Bottinelli R *et al*
Remppis A *see* Katus H *et al*
Rendig S V, Segel L D, and Amsterdam E A Direct effects of hydralazine on cardiac contractile function, haemodynamics, and myocardial energetics in isolated myocardium, 322
Richter E A *see* Kjeldsen K *et al*
Riemersma R A *see* Walker M J A *et al*
Rusterborgh H *see* Van Der Giessen W J *et al*
Ritter M, Hess O M, Murakami T, Jenni R, Egloff L, Nonogi H, Schneider J and Krayenbuehl H P Left ventricular systolic series elastic properties in aortic stenosis before and after valve replacement, 759
Riva E *see* Walker M J A *et al*
Rongione A J *see* Steg P G *et al*
Rousseau G *see* De Lorgeril M *et al*
Rowlands D B *see* Littler W A *et al*
Rudd R M *see* Winter R J D *et al*
Ruocco N A, Most A S, Sasken H, Steiner M, and Gewirtz H Role of endogenous prostacyclin in myocardial blood flow regulation distal to a severe coronary stenosis, 511
Russell D C *see* Walker M J A *et al*

S

Sada M *see* Nishimura T *et al*
Sahn D J *see* Raizada V *et al*
Sakai A, Miya J, Sohara Y, Maeta H, Ohshima N and Hori M Role of red blood cells in the coronary microcirculation during cold blood cardioplegia, 62
Sakaino N, Araki H, Nishi K, Kimura T, and Yasue H Effects of vasoconstrictor agents on flow rate of isolated epicardial coronary artery of humans with various degrees of atherosclerosis and of young pigs, 555
Sakamoto S *see* Yokoyama M *et al*
Santamore W P and Papa L Alterations in diastolic ventricular interdependence due to myocardial infarction, 726
—— Constantinescu M, Vinten-Johansen J, Johnston W E and Little W C Alterations in left ventricular compliance due to changes in right ventricular volume, pressure and compliance, 768
—— *see also* Johnston W E *et al*
Sasaki H *see* Nishimura T *et al*
Sasaki K, Ueno A, Katori M, and Kikawada R Detection of leukotriene B_4 in cardiac tissue and its role in infarct extension through leucocyte migration, 142
Sasaki S *see* Inoue A *et al*
Sasken H *see* Ruocco N A *et al*
Satake T *see* Fukushima A *et al*
Hieda N *et al*
Sawada T *see* Nakagawa M *et al*
Sawamura A *see* Ohta H *et al*
Schaefer J, Lie R K, Deppert W, and Burkhoff D Historical review: some reflections on Bowditch's original work, a philosophy of science point of view, and implications for present research on force-interval relations, 585 *abst*
Schäfer H *see* Böhm M *et al*
Schiller N *see* Camacho S A *et al*
Schmidt S Hansen *see* Hansen-Schmidt S
Schmitz W *see* Böhm M *et al*
Schneider J *see* Ritter M *et al*
Schneider P J *see* Deck J D *et al*
Schneider R M *see* Akaishi M *et al*
Scholz H *see* Böhm M *et al*
Schreinder W, Neumann F, Schuster J, Froehlich K C, and Mohl W Computation of derived diagnostic quantities during intermittent coronary sinus occlusion in dogs, 265
——— Simon P, Froehlich K C, and Mohl W Intermittent coronary sinus occlusion in humans: pressure dynamics and calculation of diagnostic quantities, 277

Schuler G *see* Katus H A *et al*
Schurizek B A *see* Hasenkam J M *et al*
Schuster J *see* Schreiner W *et al*
Seed A *see* Kenner T *et al*
Seed W A and Walker J M Relation between beat interval and force of the heartbeat and its clinical implications: review, 303
Seelaus P A *see* Akaishi M *et al*
Segadal L *see* Matre K and Segadal L
Segel L D *see* Rendig S V *et al*
Seguin J *see* Ferriere M *et al*
Seipel L *see* Hoffmeister H M *et al*
Seitz W S and McIlroy M B Interpretation of the HJ interval of the normal ballistocardiogram based on the principle of conservation of momentum and aortic ultrasonic Doppler velocity measurements during left ventricular ejection, 571
Selles J P *see* Ferriere M *et al*
Settels J J *see* Imholz B P M *et al*
Sever P S *see* Winter R J D *et al*
Seymour A-M L *see* Chatham J C *et al*
Sganzerla P *see* Moruzzi P *et al*
Sha Y *see* Kajiya F *et al*
Sheldon R S *see* Duff H J *et al*
Shenko J M *see* Acad B-A *et al*
Sheridan D J *see* Walker M J A *et al*
Shore A *see* Dasmahapatra H K *et al*
Sievers R *see* Camacho S A *et al*
Simkus G J *see* Fitchett D H *et al*
Simon P *see* Schreiner W *et al*
Simpson I A, Spyt T J, Wheatley D J, and Cobbe S M Assessment of coronary artery bypass graft flow by intraoperative Doppler ultrasound technique, 484
Slama R *see* Funck-Brentano C *et al*
Smith G C S and Mcgrath J C Indomethacin, but not oxygen tension, affects the sensitivity of isolated neonatal rabbit ductus arteriosus, but not aorta, to noradrenaline, 910
Smith J A *see* Mottram P L *et al*
Smolich J J, Weissberg P L, Broughton A and Korner P I Comparison of left and right ventricular blood flow responses during arterial pressure reduction in the autonomically blocked dog: evidence for right ventricular autoregulation, 17
Soffiantino F, *see* Perlini S *et al*
Sohara Y *see* Sakai A *et al*
Solares J *see* Garcia-Dorado D *et al*
Soldá P *see* Perlini S *et al*
Sormunen R T *see* Uusimaa P A *et al*
Spear D W *see* Taggart P *et al*
Sperelakis N *see* Ohta H *et al*
Spinelli J C *see* Fischer E I C *et al*
Spyt T J *see* Simpson I A *et al*
Staley N A *see* Lax D *et al*
Stallard T J *see* Littler W A *et al*
Staschen C-M *see* Bohms W *et al*
Steo P G, Gal D, Rongione A J, DeJesus S R, Clarke R H, Levine H J and Isner J M Effect of argon laser irradiation on rabbit aortic smooth muscle: evidence for endothelium independent contraction and relaxation, 747
Steiner M *see* Ruocco N A *et al*
Storf R *see* Hoffmeister H M *et al*
Sugiyama S, Takamura T, Ajioka M, Nagai S, and Ozawa T Mechanism of myocardial injury in dogs with hypokalaemia, 249
—— *see also* Fukushima A *et al*
Hieda N *et al*
Sutton P M I *see* Taggart P *et al*
Svedjeholm R *see* Ahn H C *et al*
Swanson V *see* Daugirdas J T *et al*
Swanton R H *see* Taggart P *et al*
Sylvén C, Jonzon B, Fredholm B B, and Kaijser L Adenosine injection into the brachial artery produces ischaemia like pain or discomfort in the forearm, 674
—— *see* Wernerman J *et al*
Szekeres L *see* Tosaki A *et al*

T

Tadaoka S *see* Kajiya F *et al*
Taddei L *see* Pelosi G *et al*
Taggart P, Sutton P M I, Spear D W, Drake H F, Swanton R H, Emanuel R W Simultaneous endocardial and epicardial monophasic action potential recordings during brief periods of coronary artery ligation in the dog: influence of adrenaline, beta blockade and alpha blockade, 900
Takahashi H *see* Inoue A *et al*
Takamura T *see* Sugiyama S *et al*
Takeda K *see* Inoue A *et al*
Tan L B *see* Wilkins M R *et al*
Tanaka Y *see* Ohta H *et al*
Ten Cate F J *see* Van Der Giessen W J *et al*
Théroux P *see* Garcia-Dorado D *et al*
Thomsen P E B *see* Kjeldsen K *et al*
Thubrikar M J *see* Deck J D *et al*
Deck J D and Thubrikar M J
Tobias M A *see* Wright G *et al*
Toki Y *see* Hieda N *et al*
Tosaki A, Balint S and Szekeres L Pacing and reperfusion induced arrhythmias: protection by slow heart rate in the rat heart, 818
Tow J P *see* Heller B A *et al*
Toyama J *see* Chihara S *et al*
Treasure T *see* Hind C R K *et al*
Trivella M G *see* Pelosi G *et al*
Trowbridge A and Crofts C Structure, stress and tissue repair in aortic valve leaflets: correspondence, 746
Tsang V, Jeremy J Y, Mikhailidis D P, Walesby R K, Wright J C, and Dandona P Release of prostacyclin from the human aorta, 489
Tsujioka K *see* Kajiya F *et al*

U

Uellner M *see* Katus H A *et al*
Ueno A *see* Sasaki K *et al*
Uusimaa P A, Hiltunen J K, Sormunen R T, and Hassinen I E Microcarrier culture of neonatal cardiac myocytes in metabolic studies, 291

V

Vacche M D *see* Pelosi G *et al*
Valentinuzzi M E *see* Fischer E I C *et al*
Van Montfrans G A *see* Imholz B P M *et al*
Van De Werf F *see* Jang I-K *et al*
Van Der Giessen W J, Verdouw P D, Ten Cate F J, Essed C E, Rusterborgh H, and Lamers J M J In vitro cyclic AMP induced phosphorylation of phospholamban: an early marker of long-term recovery of function following reperfusion of ischaemic myocardium? 714
Van Der Hoeven G M A *see* Imholz B P M *et al*
Van Der Laarse A *see* Mohanlal R W *et al*
Van Der Veen F H, Visser R, Willems G M, Kop-Klaassen B, and Hermens W T Myocardial enzyme depletion in infarcted human hearts: infarct size and equivalent tissue mass, 611
Vanhaecke J *see* Jang I-K *et al*
Vassalle M *see* Apfel H and Vassalle M

VEEN F H VAN DER *see* VAN DER VEEN F H
VENGEN Ø A, ELLINGSEN Ø, LANDE K and ILEBEKK A Significance of right atrial function during right sided inotropic stimulation of pig hearts in situ, 875
VERDOUW P D *see* VAN DER GIESSEN W J *et al*
VINNARS E *see* WERNERMAN J *et al*
VINTEN-JOHANSEN J *see* JOHNSTON W E *et al*
SANTAMORE W P *et al*
VISSER R *see* VAN DER VEEN F H *et al*
VOGEL W H *see* BELKOWITZ K *et al*
VON DER DECKEN A *see* WERNERMAN J *et al*

W

WADA Y *see* KAJIYA F *et al*
WALESBY R K *see* TSANG V *et al*
WALKER J M *see* SEED W A and WALKER J M
WALKER M J A, CURTIS M J, HEARSE D J, CAMPBELL R W F, JANSE M J, YELLON D M, COBBE S M, COKER S J, HARNESS J B, HARRON D W G, HIGGINS A J, JULIAN D G, LAB M J, MANNING A S, NORTHOVER B J, PARRATT J R, RIEMERSMA R A, RIVA E, RUSSELL D C, SHERIDAN D J, WINSLOW E, and WOODWARD B The Lambeth Conventions: guidelines for the study of arrhythmias in ischaemia, infarction, and reperfusion, 447
—— *see also* CURTINS M J and WALKER M J A
WALSH R A *see* DELL'ITALIA L J and WALSH R A
WANG X *see* DAUGIRDAS J T *et al*
WANG X-L *see* LIU B *et al*
WANLESS R B, ANAND I S, POOLE-WILSON P A and HARRIS P Haemodynamic and regional blood flow changes after acute pulmonary microembolism in conscious rabbits, 31
WARD D E *see* LAU C P *et al*
WATANABE N *see* MERRILL G F *et al*
WATANABE Y *see* MORITA H *et al*
WATTERS T A *see* CAMACHO S A *et al*
WEBER K T *see* DOERING C W *et al*
WEINTRAUB W S *see* AKAISHI M *et al*
ASKENASE A D *et al*
WEISS H R *see* ACAD B-A *et al*
WEISSBERG P L *see* SMOLICH J J *et al*
WILKINS M R *et al*
WERF F VAN DE *see* VAN DE WERF F
WERNERMAN J, SYLVÉN C, VON DER DECKEN A, JANSSON E, BÖÖK K, and VINNARS E Protein synthesis assessed by ribosome analysis in human papillary muscle in relation to oxidative capacity: a comparison with skeletal muscle, 562
WESTWOOD D M *see* ZBROŻYNA A W and WESTWOOD D M
WETTWER E *see* LIU B *et al*
WHEATLEY D J *see* SIMPSON I A *et al*
WIELAND J M *see* KUSSMAUL W G *et al*
WIELING W *see* IMHOLZ B P M *et al*
WIKMAN-COFFELT J *see* CAMACHO S A *et al*
WILKINS M R, GAMMAGE M D, LEWIS H M, TAN L B, and WEISSBERG P L Effect of lower body positive pressure on blood pressure, plasma atrial natriuretic factor concentration, and sodium and water excretion in healthy volunteers and cardiac transplant recipients, 231
WILLEMS G M *see* VAN DER VEEN F H *et al*
WILLIAMS L *see* LAX D *et al*
WILLSHAW P *see* FISCHER E I C *et al*
WILSON G J *see* DASMAHAPATRA H K *et al*
WILSON P A POOLE *see* POOLE-WILSON P A
WINSLOW E *see* WALKER M J A *et al*
WINTER R J D, INKPEN P M, DICKINSON K E J, RUDD R M, and SEVER P S De novo cardiac beta adrenoceptor synthesis in adult rats under normoxic and hypoxic conditions, 159
WISEMAN S *see* BAXTER K *et al*
WOHLFART B, ARLOCK P, LIU B, and JOHANSSON B W Excitation and contraction in myocardium: factors influencing peak force, 598 *abst*
WOHLFART B *see* ARLOCK P *et al*
WOODWARD B *see* WALKER M J A *et al*
WRIGHT G, PING J S T S, CAMPBELL C S, and TOBIAS M A Computation of haemodynamic power and input impedance in the ascending aorta of patients undergoing open heart surgery, 179
WRIGHT J C *see* TSANG V *et al*
WU S T *see* CAMACHO S A *et al*

Y

YAMASAKI J *see* KOTAKE H *et al*
YASUE H *see* SAKAINO N *et al*
YELLON D M *see* WALKER M J A *et al*
YOKOYAMA M, SAKAMOTO S, KASHIKI M, and FUKUZAKI H Dynamic behaviour of coronary stenosis in response to increasing heart rate in the dog, 708
YONEKURA S *see* MERRILL G F *et al*
YOSHIMURA M *see* INOUE A *et al*
YUE D T New insight into the control of the heart beat by intracellular calcium ions, 587 *abst*
YUTANI C *see* NISHIMURA T *et al*

Z

ZBROŻYNA A W and WESTWOOD D M Vascular changes in forearm and calf during sleep in man, 666
ZHANG F-M *see* ZHANG J-N *et al*
ZHANG J-N, ZHANG F-M, MA W-S and FORRESTER T Protective effect of exogenous fructose-1,6-diphosphate in cardiogenic shock, 927
ZHANG S-L *see* LAX D *et al*
ZIEGLER A *see* BOHMS W *et al*
ZIPES D P *see* INOUE H *et al*
ZOET A C M *see* MOHANLAL R W *et al*

SUBJECT INDEX
1988, Volume 22

A

Acetate, depressant effect in isolated cardiac tissue, 566
Acetylcholine induces overdrive excitation, sheep Purkinje fibres, 425
Acidosis, ryanodine, and short term mechanical restitution, in papillary muscles, ferret, 602 *abst*
Adenosine, coronary venous, quantitation in myocardial ischaemia, radioimmunoassay, 236
— deaminase in attentuation of canine coronary vasodilatation during regional non-ischaemic myocardial hypoxia, 345
— effects, inhibition by pertussis toxin associated with myocardial lesions, 87
— injection into brachial artery produces ischaemia like pain or discomfort in forearm, 674
Adrenaline, effect on simultaneous monophasic action potential, 900
Alcohol, intravenous infusions, effects on baroreflex sensitivity in essential hypertension, 226
Alpha blockade, effect on simultaneous monophasic action potential, 900
Amiloride, effect on contractility of cardiac muscle exposed to chronic hypercapnia and acute acidosis, rat, 754
Amoxapine, effects on electrophysiological properties of sino-atrial node, rabbit, 505
AN-132, effects on ventricular muscles, 648
Antiarrhythmic drugs, class I, comparative effects on ionic currents, sheep cardiac Purkinje fibres, 375
— — class III, modification in abnormal myocardium: editorial, 847
— — in selective depression of conduction of premature action potentials, dog, 171
Aorta, ascending, model for acute haemodynamic studies, pigs, 464
— — reflected pressure waves, effect of glyceryl trinitrate, 494
— blood flow measurements, Doppler ultrasound assessment of velocity, diameter, flow and pressure in ascending aorta, 855
— prostacyclin release, 489
— thoracic, distensibility, segmental volume, dog, 385
— input impedance and haemodynamic power during coronary artery bypass graft surgery, 179
— stenosis, left ventricular systolic series elastic properties, before and after valve replacement, 759
— valve leaflets, structure, stress, and tissue repair, 7
— — — structure, stress, and tissue repair; correspondence, 746
— — prostheses, biological and mechanical, velocity fields and turbulent stresses downstream, pigs, 472
Arrhythmias in ischaemia, infarction, and reperfusion, guidelines for study: Lambeth Conventions, 447
— quantification using scoring systems, examination of seven scores in in vivo model of regional myocardial ischaemia, 656
Atherosclerosis, effects of vasoconstrictor agents on coronary flow rate, 555
Atria, mechanical restitution and post-extracontraction potentiation, guinea pig and rat, 589 *abst*
Atrial natriuretic factor, plasma, effect of lower body positive pressure in cardiac transplant recipients, 231
Autoregulation, right ventricular, left and right blood flow compared, 17

B

Baroreflex control, depressed, of renal nerve activity, conscious WHHL rabbits, 679
Beat interval and force of heartbeat, relation between, clinical implications: review, 303
Beta adrenergic stimulation and thyroid state, effects on mechanical restitution of ventricular myocardium, rat, 597 *abst*
— adrenoceptor synthesis, left ventricle, normoxic and hypoxic conditions, rat, 159
— blockade, effect on simultaneous monophasic action potential, 900
Blood pressure after meals, 703
— — variability and forearm haemodynamics in hypertension, 287
Bowditch effect, assistant editor's comments, abstracts, 584
— — role of sodium-calcium exchange, 592 *abst*
— original work, some reflections, historical review, 585 *abst*
— phenomenon, introduction to modern work on, 586 *abst*
Brachial artery, adenosine injection into, produces ischaemic like pain or discomfort in forearm, 674

C

Calcium channels in cardiomyopathy, and (^{3}H)-nitrendipine, 840
— Mg-ATPase activity, permeabilised rat heart cells and functional coupling to oxidative phosphorylation of cells, 359
— exchange and force-interval relations, 591 *abst*
— ions, intracellular, in heart beat control, new insight into, 587 *abst*
— regulation, and cardiac hypoxia, rat, 520
Calf, and forearm, vascular changes during sleep, man, 666
Cardiac hypertrophy and volume and pressure overload, 329
— myocytes, neonatal, microcarrier culture, metabolic studies, 291
— rejection, assessment by indium-111 antimyosin and magnetic resonance imaging, 108
— tissues, transmembrane action potential, and intracellular potassium activity, baboon, 204
— transplants, electrocardiographic monitoring, mice, 315
— — heterotopic, experimental, new technique, 296
— — recipients, effect of lower body positive pressure in, 231
Cardiomyopathy, ^{3}H-nitrendipine binding sites, hamster, 840
— reduced lipid peroxidation in dilated hearts, turkeys, 826
Cardiopulmonary bypass, effect on circulating concentrations of leucocyte elastase and free radical activity, 37
Cigarette smoke, and ethanol, relative effects on thrombus formation, stenosed canine coronary arteries, 73
Circulation time, effect on plasma high density lipoprotein cholesterol, rats, 368
Cold blood cardioplegia, coronary microcirculation during, 62
Collagen network remodelling, and diastolic stiffness, left ventricle with pressure overload hypertrophy, rat, 686
Collateral vessels, functionally regressed newly developed, glyceryl trinitrate effects, conscious dogs, 639
Congestive heart failure, pressure overload model, rats, 696
Continuous non-invasive blood pressure monitoring, reliability of Finapres device during Valsalva manoeuvre, 390
Contractile function and reserve during acute ischaemia, canine lateral border zone, 122
Contraction, and excitation, in myocardium, factors influencing peak force, 598 *abst*
— non-linear elastic model, in myocardial ischaemia, 889
Coronary artery balloon occlusion, new technique for producing myocardial infarction, 42
— — bypass graft flow, assessment by intraoperative Doppler ultrasound technique, 484

— — — graft surgery, haemodynamic power and aortic input impedance, 179
— — canine, influence of experimental diabetes on mechanical responses, role of endothelium, 537
— — disease, right ventricular function, and pulmonary artery impedance, 627
— — flow partition effect on wall shear, 340
— — stenosis, severe, endogenous prostacyclin role in myocardial blood flow regulation distal to, 511
— microcirculation during cold blood cardioplegia, 62
— occlusion, experimental, acute, long term spontaneous evolution of left ventricular function, 501
— — remote myocardial ischaemia mechanism after, open chest dogs, 398
— — sinus effect on flow, resistance and pressure during vasodilatation, swine, 79
— — — intermittent, computation of derived diagnostic quantities during, dogs, 265
— — — — pressure dynamics and calculation of diagnostic quantities, humans, 277
— spasm, mechanism, isolated epicardial coronary artery responsiveness, 555
— stenosis, dynamic behaviour, in response to increasing heart rate, dog, 708
Correction, 158
Coxsackie virus B3 myocarditis, interferon in prevention, 732

D

Diabetes, experimental, influence on mechanical responses of canine coronary arteries, role of endothelium, 537
— and myocardial ischaemia, superoxide dismutase plus catalase improves post-ischaemic recovery, 916
— myocardial reactivity to dobutamine, rats, 417
Diastolic coronary artery pressure-flow relations, effect of packed cell volume, dog, 545
— stiffness, and collagen network remodelling of left ventricle with pressure overload hypertrophy rat, 686
— ventricular interdependence, alterations due to myocardial infarction, 726
Disopyramide, comparative effect on ionic currents, sheep cardiac Purkinje fibres, 375
DNA synthesis, postnatal, in hearts, mice, autoradiographic and cytofluorometric investigations, 575
Dobutamine in diabetes, myocardial reactivity, rats, 417
DOCA salt rats, retardation of development of hypertension by taurine supplement, 351
Doppler ultrasound assessment of simultaneous measurement of velocity, diameter, flow and pressure in ascending aorta, 855
— — in interpretation of HJ interval, 571
— — technique, intraoperative, coronary artery bypass graft flow, assessment, 484
Ductus arteriosus response to noradrenaline, effects of prostaglandins, 910

E

Embolisation, subtotal coronary, subendocardial perfusion persistence after, 113
Endothelium, coronary arteries, influence of experimental diabetes, 537
Enzyme release, reperfusion induced, washout effect or manifestation of damage, 603
Excitation-contraction coupling, cardiac, role of sarcolemmal phospholipid, 588 *abst*
— and contraction, in myocardium, factors influencing peak force, 598 *abst*
Extrasystoles, ventricular, rate dependence, computer identification and quantitative analysis, 101

F

Fibrinogen, possible risk factor, peripheral arterial disease, middle aged men, pilot study of screening test, 300
Finapres, reliability during Valsalva manoeuvre, 390
Flow partition, effect on wall shear in cast of human coronary artery, 340
Force-interval relations, cardiac preparations compared, rat, hedgehog, and human, 601 *abst*
— — — and calcium exchange, 591 *abst*
— — — clinical implications: review, 303
Forearm, adenosine injection into brachial artery produces ischaemic like pain or discomfort, 674
— and calf, vascular changes during sleep, man, 666
Free fatty acids, and cardiovascular effects of leukotoxin (9,10-epoxy-12-octadecenoate), dogs, 213
— radical activity, and leucocyte elastase, effect of cardiopulmonary bypass on circulating concentrations, 37
Fructose-1,6-diphosphate, exogenous, protective effect in cardiogenic shock, 927

G

Glutathione, myocardial, depletion, effects on heart function and metabolism during ischaemia and reperfusion, 833
Glyceryl trinitrate, effects on functionally regressed newly developed collateral vessels, conscious dogs, 639
— — effect on reflected pressure waves, ascending aorta, 494

H

Haemorheological properties of perfusate in coronary arteries, 545
Heart beat, control, by intracellular calcium ions, new insight into, 587 *abst*
— rate after meals, 703
— — increasing, coronary stenosis dynamic behaviour in response to, dog, 708
— — slow, and pacing and reperfusion induced arrhythmias, rat, 818
Heartbeat, force and beat interval, relation between clinical implications: review, 303
Heterotopic cardiac transplantation, experimental, new technique, 296
High density lipoprotein cholesterol, plasma, circulation time effect, rats, 368
HJ interval of normal ballistocardiogram, 571
Hydralazine, myocardial effects, rat, cat, rabbit, 322
Hydroquinidine, intramyocardial distribution, dog, 372
Hypercapnia, amiloride and papillary muscle, rat, 754
Hypertension, arterial, and tachycardia, influence on infarct size, pig, 620
— development of retardation in DOCA salt rats by taurine supplement, 351
— essential, alcohol intravenous infusion, effects on baroreflex sensitivity, 226
— forearm haemodynamics and blood pressure variability, 287
Hypokalaemia, mechanism of myocardial injury, dogs, 249
Hypoxia, cardiac, and calcium regulation, rat, 520

I

Indium-111 antimyosin and magnetic resonance imaging, cardiac rejection assessment, 108
Infarct size, influence of tachycardia and arterial hypertension, pig, 620
— — and myocardial enzyme depletion, 611
Inotropic stimulation, right sided, significance of right atrial function during, pig hearts in situ, 875
Insulin, effect on myocardial contractility during canine endotoxin shock, 777
Interferon in prevention of coxsackie virus B3 myocarditis, 732

Intermittent pneumatic compression in leg ulcers, 138
Interval variation, spontaneous, clinical studies, 595 *abst*
Intracellular potassium activity, and transmembrane action potentials of cardiac tissues, baboon, 204
Intramyocardial distribution of hydroquinidine, dog, 372
Intraventricular conductance catheter, in left ventricular regional myocardial ischaemia detection, dogs, 185
Ischaemia, acute, contractile function and reserve, lateral border zone, 122
— effects of depletion of myocardial glutathione, 833
— induced mitochondrial dysfunction, effect of prostaglandin I_2 analogue and propranolol, 219
— regional, and pyruvate, phosphorus-31 magnetic resonance spectroscopy analysis, 193
Isolated cardiac tissue, depressant effect of acetate, 566
Isoprenaline induced myocardial damage, mechanism of taurine protective action against, 407
Isoproterenol induced myocardial damage, decreased by alprazolam, rat, 414
Isovolumic relaxation in intact heart, load dependence, facts or artifacts? 47

L

Lambeth Conventions, guidelines for study of arrhythmias in ischaemia, infarction, and reperfusion, 447
Laser angioplasty with contact probe for treatment of peripheral vascular disease, 149
— — in peripheral vascular disease: correspondence, 446
— Doppler flowmetry, in myocardial perfusion assessment, empty beating porcine heart, 719
— irradiation, aortic smooth muscle, contraction and relaxation responses, 747
Lateral border zone, contractile function and reserve, 122
Leaflets, aortic valve, structure, stress, and tissue repair, 7
Left ventricular compliance, alterations due to changes in right ventricular volume, pressure and compliance, 768
— — ejection, Doppler ultrasound, and HJ interval, 571
— — function, long term spontaneous evolution, after experimental acute coronary occlusion, 501
— — hypertrophy, size and function of hearts, 329
— — isovolumic relaxation in intact heart, load dependence, 47
— — regional myocardial ischaemia, detection by intraventricular conductance catheter, dogs, 185
— — systolic series elastic properties in aortic stenosis before and after valve replacement, 759
Leg ulcers, treatment with intermittent pneumatic compression, 138
Leucocyte elastase, and free radical activity, effect of cardiopulmonary bypass on circulating concentrations, 37
Leukotoxin (9,10-epoxy-12-octadecenoate), cardiovascular effects, and free fatty acids, dogs, 213
Leukotriene B_4, detection in cardiac tissue and infarct size, 142
Lignocaine, comparative effect on ionic currents, sheep cardiac Purkinje fibres, 375
— in experimental myocardial infarction, 439
Lipid peroxidation, reduced, in dilated hearts, cardiomyopathic turkeys, 826
Load dependence, isovolumic relaxation in intact heart, facts or artifacts, 47
Lower body positive pressure, effect in cardiac transplant recipients, 231
Lysosomes and mitochondrial dysfunction, 219

M

Magnetic resonance imaging and indium-111 antimyosin, cardiac rejection assessment, 108
Microcarrier culture of neonatal cardiac myocytes, metabolic studies, 291
Monophasic action potential recordings, simultaneous endocardial, and epicardial, during brief periods of coronary artery ligation, dog, 900
— — — relation to transmembrane action potential, systematic microelectrode validation, 255
Muscle performance and Na^+, K^+-ATPase concentration, 95
Muscular dystrophy, (^{3}H)-nitrendipine binding sites, hamster, 840
— blood flow regulation distal to severe coronary artery stenosis, endogenous prostacyclin role, 511
— capillary bed perfusion, effect of prolonged propranolol administration and withdrawal, 793
— enzyme depletion in infarcted human hearts infarct size and equivalent tissue mass, 611
— hypoxia and adenosine deaminase, 345
— infarction, diastolic ventricular interdependence alterations, 726
— — experimental, lignocaine in, 439
— — leukotriene B_4 and infarct size, 142
— — myosin light chains release, non-invasive estimation of infarct size, 456
— — new technique for producing, using coronary artery balloon occlusion, 42
— injury, mechanism in hypokalaemia, dogs, 249
— ischaemia, non-linear elastic model of contraction, 889
— — propranolol and vagal nerve stimulation do not affect postsystolic shortening during, dog, 527
— — pulmonary artery pressure-flow relations during, 627
— — radioimmunoassay, coronary venous adenosine quantitation, 236
— — regional, in vitro cyclic AMP induced phosphorylation of phospholamban, following reperfusion marker of recovery, 714
— — — quantification of arrhythmias using scoring systems, examination of seven scores in in vivo model, 656
— — remote, mechanism after coronary occlusion, open chest dogs, 398
— lesions, and pertussis toxin, in inhibition of adenosine, 87
— perfusion, assessment in empty beating porcine heart with laser Doppler flowmetry, 719
— reactivity to dobutamine in diabetes, rats, 417
Myocardium, abnormal, modification of class III antiarrhythmic activity: editorial, 847
— excitation, and contraction, factors influencing peak force, 598 *abst*
— hypertrophic, investigations into properties, 600 *abst*
— — mechanical restitution, 596 *abst*
— isolated, mechanical restitution, described by two exponential recovery processes, 596 *abst*
— — semi-random stimulation, 594 *abst*
Myocardium, ventricular, mechanical restitution, effects of thyroid state, and beta adrenergic stimulation, rat, 597 *abst*
Myocytes, isolated, studies, 590 *abst*
Myosin light chains release in acute myocardial infarction, non-invasive estimation of infarct size, 456

N

Na^+,K^+-ATPase concentration, rodent and human heart, and skeletal muscle, apparent relation to muscle performance, 95
Neural activation, pulmonary vasomotor responses, man, 25
Nicotine induced haemodynamic changes during cigarette smoking and nicotine gum chewing, 154
Nitrendipine, ^{3}H, binding sites in cardiomyopathy, hamster, 840
Noradrenaline, ductus arteriosus response, effects of prostaglandins, 910
Notices, 374, 446, 602, 846, 932

O

Overdrive excitation, acetylcholine induced, sheep Purkinje fibres, 425
Oxygen deficiency, graded intensity, effects on function and energy metabolism in post-ischaemic myocardium, 881
Oxygenation of venous ulcers, 138

P

Pacing, atrial, effect on coronary stenosis, 708
— rate, abrupt changes, hysteresis of ventricular paced QT interval in response, 67
— and reperfusion induced arrhythmias, protection by slow heart rate, rat, 818
Packed cell volume, effect on diastolic coronary artery pressure-flow relations, dog, 545
Papillary muscle, hypercapnia and amiloride, rat, 754
— — protein synthesis, assessed by ribosome analysis, 562
Peak force, excitation and contraction in myocardium, factors influencing, 598 *abst*
Penticainide, comparative effect on ionic currents, sheep cardiac Purkinje fibres, 375
Peripheral arterial disease, middle aged men, pilot study of screening test, fibrinogen as possible risk factor, 300
— vascular disease, laser angioplasty with contact probe for treatment, 149: correspondence, 446
Permeabilised rat heart cells, Ca,Mg-ATPase activity, and functional coupling to oxidative phosphorylation of cells, 359
Pertussis toxin in inhibition of myocardial effects of adenosine, 87
Phospholamban, in vitro AMP induced phosphorylation, and recovery of ischaemic myocardium, 714
Post-extracontraction potentiation, and mechanical restitution, in atria, guinea pig and rat, 589, *abst*
Post-ischaemic myocardium, effects of graded intensity of oxygen deficiency on function and energy metabolism, 881
Postprandial haemodynamic changes, source of bias in cardiovascular research affected by own methodological bias, 703
Postsystolic shortening during acute myocardial ischaemia, propranolol and vagal nerve stimulation do not affect, dog, 527
Pressure overload model of congestive heart failure, rats, 696
Propranolol administration, prolonged, and withdrawal, effect on perfusion of myocardial capillary bed, 793
— and vagal nerve stimulation do not affect postsystolic shortening during acute myocardial ischaemia, dog, 527
Prostacyclin, endogenous, role in myocardial blood flow regulation distal to severe coronary artery stenosis, 511
— release from human aorta, 489
Prostaglandin I_2 analogue and propranolol, effect on ischaemia induced mitochondrial dysfunction, 219
Prostaglandins, effect on ductus arteriosus response to noradrenaline, 910
Protein synthesis in papillary muscle, assessed by ribosome analysis, 562
Pulmonary artery pressure-flow relations during myocardial ischaemia, 627
— microembolism, haemodynamic and regional blood flow changes, 31
— vasomotor responses to neural activation, man, 25
Purkinje fibres, acetylcholine inducing overdrive excitation, sheep, 425
— — cardiac, comparison of effects of 3 class I antiarrhythmic drugs, sheep, 375
— — conduction, effect of Ib antiarrhythmic drugs on conduction of premature action potentials, dog, 171
Pyruvate regulation of nucleotide pool during regional ischaemia, phosphorus-31 magnetic resonance spectroscopy analysis, 193

Q

QT interval, ventricular paced, hysteresis, in response to abrupt changes in pacing rate, 67
Quinidine induced early afterdepolarisations, pharmacological response, dog, 808

R

Rate dependence of ventricular extrasystoles, computer identification and quantitative analysis, 101
Red blood cells in coronary microcirculation during cold blood cardioplegia, 62
Renal nerve activity, depressed baroreflex control, conscious WHHL rabbits, 679
Reperfusion, effects of depletion of myocardial glutathione, 833
— induced arrhythmias, and pacing, protection by slow heart rate, rat, 818
— — enzyme release, washout effect or manifestation of damage, 603
Restitution, mechanical, in hypertrophied human myocardium, 596 *abst*
— — of isolated human myocardium described by two exponential recovery processes, 596 *abst*
— — and post-extracontraction potentiation in atria, guinea pig and rat, 589 *abst*
— — of ventricular myocardium, effects of thyroid state, and beta adrenergic stimulation, rat, 597 *abst*
— — short term ryanodine, and acidosis in papillary muscles, ferret, 602 *abst*
Ribosome analysis in assessment of protein synthesis in papillary muscle, 562
Right atrial function, significance during right sided inotropic stimulation of pig hearts in situ, 875
— ventricular protection by overlapping vessels against infarction, 786
— — effects on left ventricular compliance, 768
— — ejection, late, factors influencing, 244
— — function in coronary disease, 627
— — performance, application of time varying elastance model, man, 864
Ryanodine, acidosis, and short term mechanical restitution in papillary muscles, ferret, 602 *abst*

S

Sarcolemmal phospholipid, role in cardiac excitation-contraction coupling, 588 *abst*
Serotonin response increases with age in coronary resistance arteries, rat, 131
Shock, cardiogenic, protective effect of exogenous fructose-1,6-diphosphate, 927
— endotoxin, canine, effect of insulin on myocardial contractility during, 777
Sinoatrial node, amoxapine effects on electrophyiological properties, rabbit, 505
Sinus node, vagus adenosine interaction, 55
Sleep, vascular changes in forearm and calf during, man, 666
Smoking and haemodynamic changes, 154
Sodium-calcium exchange, role in Bowditch effect, 592 *abst*
Subendocardial perfusion, persistence after subtotal coronary embolisation, 113
Superoxide dismutase plus catalase improves postischaemic recovery in diabetic myocardial ischaemia, 916
Supravalvular aortic stenosis, simple technique for producing in animals, 739

T

Tachycardia and arterial hypertension, influence on infarct size, pig, 620
Taurine, depressor mechanisms, 351
— protective action against isoprenaline induced myocardial damage, mechanism, 407
Tetrodotoxin, sodium channel specific anti-arrhythmic activity, 800
Thyroid state, and beta adrenergic stimulation, effects on mechanical restitution of ventricular myocardium, rat, 597 *abst*
Time varying elastance model, application to right ventricular performance, man, 864
Transcutaneous oxygen tension in post-thrombolic leg ulcers, treatment with intermittent pneumatic compression, 138
Transmembrane action potentials and intracellular potassium activity of cardiac tissues, baboon, 204
— — — relation to monophasic action potential, systematic microelectrode validation, 255

V

Vagal innervation interruption, and Wolff-Parkinson-White syndrome surgery, 163
— nerve stimulation, and propranolol do not affect postsystolic shortening during acute myocardial ischaemia, dog, 527
Vagus adenosine interaction on sinus node, 55
Valsalva manoeuvre, Finapres reliability during, 390
Valve replacement, left ventricular systolic series elastic properties in aortic stenosis before and after, 759
Vasoconstrictor agents, effects on flow rate of isolated epicardial atherosclerotic coronary artery, 555
Ventricular blood flow, responses, left and right compared, 17
— extrasystoles, rate dependence, computer identification and quantitative analysis, 101

W

Wall shear of coronary artery, effect of flow partition, 340
Wolff-Parkinson-White syndrome, surgery and vagal innervation interruption, 163

CARDIOVASCULAR RESEARCH

EDITOR
P SLEIGHT

ASSISTANT EDITORS
D H BERGEL, T POWELL

H AARS
J O ARNDT
G C VAN DEN BOS
J D BRISTOW
N L BROWSE
S M COBBE
P H FENTEM
P FOËX
K FOX
T KENNER
W KÜBLER
G MANCIA
J R PARRATT
P PERONNEAU
P A POOLE-WILSON
R S RENEMAN
B ROBINSON
E M VAUGHAN-WILLIAMS
D H WILLIAMSON
N WOOLF

EDITOR *British Heart Journal*
EDITOR *British Medical Journal*
TECHNICAL EDITOR OLIVER BROOKE

VOLUME 22, 1988

LONDON · BRITISH MEDICAL ASSOCIATION · TAVISTOCK SQUARE WC1H 9JR

CONTENTS

No 1 JANUARY 1988

Instructions to authors 1

Structure, stress, and tissue repair in aortic valve leaflets: J David Deck, Mano J Thubrikar, Peter J Schneider, Stanton P Nolan 7

Comparison of left and right ventricular blood flow responses during arterial pressure reduction in autonomically blocked dog: evidence for right ventricular autoregulation: Joseph J Smolich, Peter L Weissberg, Archer Broughton, Paul I Korner 17

Pulmonary vasomotor responses to neural activation in man: Paolo Moruzzi, Paolo Sganzerla, Maurizio D Guazzi 25

Haemodynamic and regional blood flow changes after acute pulmonary microembolism in conscious rabbits: Richard B Wanless, Inderjit S Anand, Philip A Poole-Wilson, Peter Harris 31

Effect of cardiopulmonary bypass on circulating concentrations of leucocyte elastase and free radical activity: C R K Hind, J F Griffin, S Pack, Y E Latchman, H F Drake, H M Jones, J Brostoff, T L Dormandy, T Treasure 37

A new technique for producing myocardial infarction using coronary artery balloon occlusion: Daniel Garner, Leonard E Ginzton, Gale Jagels, Michael M Laks. . 42

Load dependence of isovolumic relaxation in intact heart: facts or artifacts? Stefano Perlini, Francesco Soffiantino, Cosima Farilla, Pierluigi Soldá, Alessandro Calciati, Maurizio Paro, Giorgio Finardi, Luciano Bernardi 47

Interacting negative chronotropic effects of adenosine and the vagus nerve on the canine sinus node: Amir Pelleg, Takao Mitsuoka, Todor Mazgalev, Eric L Michelson 55

Role of red blood cells in the coronary microcirculation during cold blood cardioplegia: Akira Sakai, June Miya, Yasunori Sohara, Hajime Maeta, Norio Ohshima, Motokazu Hori 62

Hysteresis of the ventricular paced QT interval in response to abrupt changes in pacing rate: Chu Pak Lau, Andrew R Freedman, Simon Fleming, Marek Malik, A John Camm, David E Ward 67

Relative effects of cigarette smoke and ethanol on acute platelet thrombus formation in stenosed canine coronary arteries: J W Keller, John D Folts 73

No 2 FEBRUARY 1988

Effect of coronary sinus occlusion on coronary flow, resistance, and zero flow pressure during maximum vasodilatation in swine: George A Pantely, J David Bristow, Herbert D Ladley, Cheryl G Anselone 79

Inhibition of the effects of adenosine on force of contraction and the slow calcium inward current by pertussis toxin is associated with myocardial lesions: Michael Böhm, Reinhard Brückner, Hansjörg Schäfer, Wilhelm Schmitz, Hasso Scholz . 87

Na^+,K^+-ATPase concentration in rodent and human heart and skeletal muscle: apparent relation to muscle performance: Keld Kjeldsen, Preben Bjerregaard, Erik Arne Richter, Poul Erik Bloch Thomsen, Aage Nørgaard 95

Rate dependence of ventricular extrasystoles: computer identification and quantitative analysis: Christian Funck-Brentano, Philippe Coumel, Paco Lorente, Pierre Maison-Blanche, Robert Slama 101

Assessment of severity of cardiac rejection in heterotopic heart transplantation using indium-111 antimyosin and magnetic resonance imaging: Tsunehiko Nishimura, Masaharu Sada, Hidemiki Sasaki, Chikao Yutani, Tsuyoshi Fujita, Hiroshi Amemiya, Takahiro Kozuka, Tetsuzo Akutsu, Hisao Manabe 108

Persistence of subendocardial perfusion after subtotal coronary embolisation: Gualtiero Pelosi, Antonio L'Abbate, Maria Giovanna Trivella, Margherita Dalle Vacche, Daniele Levantesi, Luigi Taddei, Mario Marzilli 113

Contractile function and reserve during acute ischaemia in the canine lateral border zone: Alan D Askenase, Franco F Naccarella, William S Weintraub, Lloyd W Klein, Jai B Agarwal, Richard H Helfant 122

Serotonin response increases with age in rat coronary resistance arteries: N C B Nyborg, E O Mikkelsen 131

Transcutaneous oxygen tension in patients with post-thrombotic leg ulcers: treatment with intermittent pneumatic compression: Pertti J Kolari, Kalle Pekanmäki, Risto T Pohjola 138

Detection of leukotriene B_4 in cardiac tissue and its role in infarct extension through leucocyte migration: Kouji Sasaki, Akinori Ueno, Makoto Katori, Ryuichi Kikawada 142

Laser angioplasty with a contact probe for the treatment of peripheral vascular disease: E Pilger, J Lammer, R Kleinert, W Ascher, H Bertuch 149

Nicotine induced haemodynamic changes during cigarette smoking and nicotine gum chewing: a placebo controlled study in young healthy volunteers: Henri Bounameaux, Marthe Griessen, Pia Benedet, Bernard Krahenbuhl, André Deom . 154

Correction — Furukawa 158

No 3 MARCH 1988

De novo cardiac beta adrenoceptor synthesis in adult rats under normoxic and hypoxic conditions: Robert J D Winter, Pauline M Inkpen, Kenneth E J Dickinson, Robin M Rudd, Peter S Sever 159

Surgery for Wolf-Parkinson-White syndrome interrupts efferent vagal innervation to the left ventricle and to the atrioventricular node in the canine heart: Hiroshi Inoue, Yousuf Mahomed, Richard J Kovacs, Douglas P Zipes 163

Selective depression of conduction of premature action potentials in canine Purkinje fibres by class Ib antiarrhythmic drugs: comparison with Ia and Ic drugs: Regan T Pallandi, Terence J Campbell 171

Computation of haemodynamic power and input impedance in the ascending aorta of patients undergoing open heart surgery: Gordon Wright, John S T Sum Ping, Colin S Campbell, Michael A Tobias 179

Detection of left ventricular regional myocardial ischaemia in dogs by intraventricular conductance catheter: Edmundo I Cabrera Fischer, Julio C Spinelli, Peter Willshaw, Alberto J Crottogini, Eduardo De Forteza, Oscar Clavin, Max E Valentinuzzi, Ricardo H Pichel 185

Substrate regulation of the nucleotide pool during regional ischaemia and reperfusion in an isolated rat heart preparation: a phosphorus-31 magnetic resonance spectroscopy analysis: S Albert Camacho, William W Parmley, Thomas L James, Hiroyuki Abe, Shao T Wu, Elias H Botvinick, Thomas A Watters, Nelson Schiller, Richard Sievers, Joan Wikman-Coffelt 193

Transmembrane action potentials and intracellular potassium activity of baboon cardiac tissues: Kenneth H Dangman, Karl P Dresdner Jr, Robert E Michler . 204

Cardiovascular effects of leukotoxin (9,10-epoxy-12-octadecenoate) and free fatty acids in dogs: Akihiko Fukushima, Mika Hayakawa, Satoru Sugiyama, Masayoshi Ajioka, Takayuki Ito, Tatsuo Satake, Takayuki Ozawa 231

Prostaglandin I_2 analogue and propranolol prevent ischaemia induced mitochondrial dysfunction through the stabilisation of lysosomal membranes: Nobuyuki Hieda, Yukio Toki, Satoru Sugiyama, Takayuki Ito, Tatsuo Satake, Takayuki Ozawa 219

Acute effects of intravenous infusions of alcohol on baroreceptor sensitivity in essential hypertension: R Carretta, B Fabris, M Bardelli, S Muiesan, F Fischetti, R Cesanelli, A Pizzolitto, A Bianchetti, L Campanacci 226

No 4 APRIL 1988

Effect of lower body positive pressure on blood pressure, plasma atrial natriuretic factor concentration, and sodium and water excretion in healthy volunteers and cardiac transplant recipients: Martin R Wilkins, Michael D Gammage, Helen M Lewis, L Bun Tan, Peter L Weissberg 231

Quantitation of coronary venous adenosine in patients: limitations evaluated by radioimmunoassay: Christian W Hamm, Wolfram Kupper, Reinhard Bredehorst, Helmuth Hilz, Walter Bleifeld 236

Factors influencing late right ventricular ejection: Veena Raizada, D J Sahn, J W Covell 244

Mechanism of myocardial injury in dogs with hypokalaemia: Satoru Sugiyama, Tadanobu Takamura, Masayoshi Ajioka, Shuichiro Nagai, Takayuki Ozawa . . 249

Relation of monophasic action potential recorded with contact electrode to underlying transmembrane action potential properties in isolated cardiac tissues: a systematic microelectrode validation study: Takeshi Ino, Hrayr S Karagueuzian, Kichol Hong, Malte Meesmann, William J Mandel, Thomas Peter 255

Computation of derived diagnostic quantities during intermittent coronary sinus occlusion in dogs: W Schreiner, F Neumann, J Schuster, K C Froehlich, W Mohl . 265

Intermittent coronary sinus occlusion in humans: pressure dynamics and calculation of diagnostic quantities: W Schreiner, F Neumann, J Schuster, P Simon, K C Froehlich, W Mohl 277

Forearm haemodynamics and blood pressure variability in hypertensive patients: William A Littler, Terence J Stallard, David B Rowlands 287

Microcarrier culture of neonatal cardiac myocytes in metabolic studies: Paavo A Uusimaa, J Kalervo Hiltunen, Raija T Sormunen, Ilmo E Hassinen . . . 291

A new technique of experimental heterotopic cardiac transplantation: Himansu K Dasmahapatra, Gregory J Wilson, Sharon L David, Sergio Kielmanowicz, Geraldine Kent, Sushil N Gokhale, Reginald Gorczynski, Abraham Shore, John G Coles . 296

Pilot study of a screening test for peripheral arterial disease in middle aged men: fibrinogen as a possible risk factor: Karen Baxter, Sheila Wiseman, Janet Powell, Roger Greenhalgh 300

No 5 MAY 1988

Review: Relation between beat interval and force of the heartbeat and its clinical implications: W A Seed, J M Walker 303

Electrocardiographic monitoring of cardiac transplants in mice: Patricia L Mottram, Julian A Smith, Andrea Mason, Angela Mirisklavos, Lynette J Dumble, Gordon J Clunie 315

Direct effects of hydralazine on cardiac contractile function, haemodynamics, and myocardial energetics in isolated myocardium: Stephen V Rendig, Leigh D Segel, Ezra A Amsterdam 322

Diastolic characteristics and cardiac energetics of isolated hearts exposed to volume and pressure overload: Peter Friberg 329

Effect of flow partition on wall shear in a cast of a human coronary artery: C B Bargeron, Owen J Deters, Frank F Mark, Morton H Friedman 340

Adenosine deaminase attenuates canine coronary vasodilatation during regional non-ischaemic myocardial hypoxia: Gary F Merrill, H Fred Downey, S Yonekura, N Watanabe, Carl E Jones 345

Retardation of the development of hypertension in DOCA salt rats by taurine supplement: Atsushi Inoue, Hakuo Takahashi, Li-Chik Lee, Susumu Sasaki, Yoshio Kohno, Kazuo Takeda, Manabu Yoshimura, Masao Nakagawa 351

Ca,Mg-ATPase activity of permeabilised rat heart cells and its functional coupling to oxidative phosphorylation of the cells: Ladislav Kümmel 359

Effect of circulation time on plasma high density lipoprotein cholesterol in rats: Takehiko Ishizuka 368

Intramyocardial distribution of hydroquinidine in the dog: M Ferriere, J Ph Selles, G Panis, R Panis, I Lacheretz, J Seguin, H Jaber, J P Daures, C Gorget . . . 372

Notice 374

No 6 JUNE 1988

Comparative effects of three class I antiarrhythmic drugs on plateau and pacemaker currents of sheep cardiac Purkinje fibres: Edouard Coraboeuf, Edith Deroubaix, Denis Escande, Alain Coulombe 375

Segmental volume distensibility of the canine thoracic aorta in vivo: Brian J Gentile, David R Gross, C J Charles Chuong, Ned H C Hwang 385

Continuous non-invasive blood pressure monitoring: reliability of Finapres device during the Valsalva manoeuvre: Ben P M Imholz, Gert A van Montrans, Jos J Settels, Gerard A van der Hoeven, John M Karemaker, Wouter Wieling 390

Mechanism of remote myocardial ischaemia after coronary occlusion in open chest dogs: Joseph A Gascho, Terry L Flanagan, C Foster Jennings, George A Beller . 398

Mechanism of the protective action of taurine against isoprenaline induced myocardial damage: Hideyuki Ohta, Junichi Azuma, Nobuhisa Awata, Tomoyuki Hamaguchi, Yuya Tanaka, Akihiko Sawamura, Susumu Kishimoto, Nick Sperelakis 407

Alprazolam decreases isoproterenol induced myocardial damage in the rat: K Berkowitz, S Conahan, W H Vogel 414

Depressed in vivo myocardial reactivity to dobutamine in streptozotocin diabetic rats: influence of exercise training: Barbara A Heller, Dennis J Paulson, Stephen J Kopp, Donna G Peace, June P Tow 417

Acetylcholine induces overdrive excitation in sheep Purkinje fibres: Howard Apfel, Mario Vassalle 425

Lignocaine in experimental myocardial infarction: failure to prevent neutrophil accumulation and ventricular fibrillation and to reduce infarct size: Michel De Lorgeril, Guy Rousseau, Arsene Basmadjian, Jean-Gilles Latour 439

Correspondence: laser angioplasty in peripheral vasculature disease: Martin R Prince 446

Notice: rotary blood pumps 446

No 7 JULY 1988

The Lambeth Conventions: guidelines for the study of arrhythmias in ischaemia, infarction, and reperfusion: M J A Walker, M J Curtis, D J Hearse, R W F Campbell, M J Janse, D M Yellon, S M Cobbe, S J Coker, J B Harness, D W G Harron, A J Higgins, D G Julian, M J Lab, A S Manning, B J Northover, J R Parratt, R A Riemersma, E Riva, D C Russell, D J Sheridan, E Winslow, B Woodward . . 447

Myosin light chains release in acute myocardial infarction: non-invasive estimation of infarct size: Hugo A Katus, Klaus W Diederich, Martin Uellner, Andrew Remppis, Gerhard Schuler, Wolfgang Kübler 456

A model for acute haemodynamic studies in the ascending aorta in pigs: J Michael Hasenkam, Jesper Hjortdal Østergaard, Erik Morre Pedersen, Peter Kildeberg Paulsen, Hans Nygaard, Birgitte Asmin Schurizek, Gunnar Johannsen 464

Velocity fields and turbulent stresses downstream of biological and mechanical aortic valve prostheses implanted in pigs: J Michael Hasenkam, Erik Morre Pedersen, Jesper Hjortdal Østergaard, Hans Nygaard, Peter Kildeberg Paulsen, Gunnar Johannsen, Birgitte Asmin Schurizek 472

Assessment of coronary artery bypass graft flow by intraoperative Doppler ultrasound technique: I A Simpson, T J Spyt, D J Wheatley, S M Cobbe . . . 484

Release of prostacyclin from the human aorta: V Tsang, J Y Jeremy, D P Mikhailidis, R K Walesby, J C Wright, P Dandona 489

Reflected pressure waves in the ascending aorta: effect of glyceryl trinitrate: David H Fitchett, Gerald J Simkus, Jean Pierre Beaudry, Derek G F Marpole . . . 494

Long term spontaneous evolution of left ventricular function after experimental acute coronary occlusion: Ik-Kyung Jang, Frans van de Werf, Johan Vanhaecke, Willem Flameng, Hilaire De Geest 501

Effects of amoxapine on electrophysiological properties of rabbit sinoatrial node: Hiroshi Kotake, Toru Kinugawa, Shozo Hirai, Osamu Igawa, Junichi Yamasaki, Junichi Hasegawa, Hiroto Mashiba 505

Role of endogenous prostacyclin in myocardial blood flow regulation distal to a severe coronary stenosis: Nicholas A Ruocco, Albert S Most, Harvey Sasken, Manfred Steiner, Henry Gewirtz 511

Effects of hypoxia on calcium fluxes and force development in the neonatal rat atrium: Nicholas J Lodge, Henry Gelband. 520

No 8 AUGUST 1988

Propranolol and vagal nerve stimulation do not affect postsystolic shortening during acute myocardial ischaemia in the dog: Grayson G Geary, Robin M Norris . 527

Influence of experimental diabetes on the mechanical responses of canine coronary arteries: role of endothelium: Debebe Gebremedhin, Mária Zsófia Koltai, Gábor Pogátsa, Kálmán Magyar, Pál Hadházy 537

Effect of packed cell volume on diastolic coronary artery pressure-flow relations in the dog: Fumihiko Kajiya, Katsuhiko Tsujioka, Yasuo Ogasawara, Yoshifumi Wada, Osamu Hiramatsu, Masami Goto, Masanobu Nakai, Shinichiro Tadaoka, Shuji Matsuoka, Yasuhiro Sha 545

Effects of vasoconstrictor agents on flow rate of isolated epicardial coronary artery of humans with various degrees of atherosclerosis and of young pigs: Naritsugu Sakaino, Haruo Araki, Katsuhide Nishi, Tadashi Kimura, Hirofumi Yasue . . 555

Protein synthesis assessed by ribosome analysis in human papillary muscle in relation to oxidative capacity: a comparison with skeletal muscle: Jan Wernerman, Christer Sylvén, Alexandra von der Decken, Eva Jansson, Kim Böök, Erik Vinnars 562

Depressant effect of acetate in isolated cardiac tissue: J T Daugirdas, X Wang, C Nutting, V Swanson, A Agrawal 566

Interpretation of the HJ interval of the normal ballistocardiogram based on the principle of conservation of momentum and aortic ultrasonic Doppler velocity measurements during left ventricular ejection: W S Seitz, M B McIlroy . . 571

Postnatal DNA synthesis in hearts of mice: autoradiographic and cytofluorometric investigations: Masao Nakagawa, Kenji Hamaoka, Takanori Hattori, Tadashi Sawada 575

Abstracts of a symposium organised by the British Society for Cardiovascular Research 584–602

No 9 SEPTEMBER 1988

Reperfusion induced enzyme release: washout effect or manifestation of reperfusion damage? R W Mohanlal, I Mauve, A C M Zoet, A van der Laarse . . . 603

Myocardial enzyme depletion in infarcted human hearts: infarct size and equivalent tissue mass: Frederik H van der Veen, Rob Visser, George M Willems, Bernadette Kop-Klaassen, Wim Th Hermens 611

Influence of tachycardia and arterial hypertension on infarct size in the pig: David Garcia-Dorado, Pierre Théroux, Jaime Elizaga, Francisco Fernandez Avilés, Joaquin Alonso, Julia Solares 620

Pressure-flow relations in the pulmonary artery during myocardial ischaemia: implications for right ventricular function in coronary disease: William G Kussmaul, Jeffrey M Wieland, Warren K Laskey 627

Effects of glyceryl trinitrate on functionally regressed newly developed collateral vessels in conscious dogs: Masatoshi Fujita, Daniel P McKown, Michael D McKown, Dean Franklin 639

Frequency and voltage dependent effects of AN-132, a new class I anti-arrhythmic agent, on $\dot{V}$ max of action potential upstroke in guinea pig ventricular muscles: Shu Chihara, Itsuo Kodama, Junji Toyama 648

Quantification of arrhythmias using scoring systems: an examination of seven sores in an in vivo model of regional myocardial ischaemia: Michael J Curtis, Michael J A Walker 656

Vascular changes in forearm and calf during sleep in man: A W Zbrożyna, D M Westwood 666

Adenosine injection into the brachial artery produces ischaemia like pain or discomfort in the forearm: Christer Sylvén, Bror Jonzon, Bertil B Fredholm, Lennart Kaijser 674

No 10 OCTOBER 1988

Depressed baroreflex control of renal nerve activity in conscious WHHL rabbits: Hironobu Morita, Yasuhiro Nishida, Hiroyuki Motochigawa, Yoshio Watanabe, Hiroshi Hosomi 679

Collagen network remodelling and diastolic stiffness of the rat left ventricle with pressure overload hypertrophy: Christian W Doering, Jorge E Jalil, Joseph S Janicki, Ruth Pick, Shahriar Aghili, Cyril Abrahams, Karl T Weber . . . 686

A pressure overload model of congestive heart failure in rats: Suzanne Desjardins, Rudolf W Mueller, Michael J Cauchy 696

Postprandial haemodynamic changes: a source of bias in cardiovascular research affected by its own methodological bias: C de Mey, S Hansen-Schmidt, D Enterling 703

Dynamic behaviour of coronary stenosis in response to increasing heart rate in the dog: Mitsuhiro Yokoyama, Susumu Sakamoto, Michihiro Kashiki, Hisashi Fukuzaki 708

In vitro cyclic AMP induced phosphorylation of phospholamban? Willem J van der Giessen, Pieter D Verdouw, Folkert J ten Cate, Catherina E Essed, Hans Rijsterborgh, Jos M J Lamers 714

Assessment of myocardial perfusion in the empty beating porcine heart with laser Doppler flowmetry: H C Ahn, R Ekroth, J Hedenmark, G E Nilsson, R Svedjeholm 719

Alterations in diastolic ventricular interdependence due to myocardial infarction: William P Santamore, Louis Papa 726

Prevention of murine coxsackie B3 viral myocarditis and associated lymphoid organ atrophy with recombinant human leucocyte interferon α A/D: Chiharu Kishimoto, Clyde S Crumpacker, Walter H Abelmann 732

A simple technique for producing supravalvular aortic stenosis in animals: Sufan Chien, John N Diana, Jose M Brum, Alfred A Bove 739
Correspondence 746

No 11 NOVEMBER 1988

Effect of argon laser irradiation on rabbit aortic smooth muscle: evidence for endothelium independent contraction and relaxation: P Gabriel Steg, Dov Gal, Anthony J Rongione, Steven R DeJesus, Richard H Clarke, Herbert J Levine, Jeffrey M Isner 747
Effect of amiloride on contractility of rat cardiac muscle exposed to chronic hypercapnia and acute acidosis: Simon V Baudouin, Nigel T Bateman . . 754
Left ventricular systolic series elastic properties in aortic stenosis before and after valve replacement: Manfred Ritter, Otto M Hess, Tomoyuki Murakami, Rolf Jenni, Louis Egloff, Hiroshi Nonogi, Jakob Schneider, Hans P Krayenbuehl . . . 759
Alterations in left ventricular compliance due to changes in right ventricular volume, pressure and compliance: William P Santamore, Martin Constantinescu, Jakob Vinten-Johansen, William E Johnston, William C Little 768
Effect of insulin on myocardial contractility during canine endotoxin shock: William R Law, Michael P McLane, Richard M Raymond 777
Do overlapping vessels protect against canine right ventricular infarction after right coronary artery occlusion? William E Johnston, Jakob Vinten-Johansen, Anant Patel, William P Santamore 786
Effect of prolonged propranolol administration and withdrawal on perfusion of the myocardial capillary bed: Bat-Ami Acad, James M Shenko, Diane Eliades, Harvey R Weiss 793
Tetrodotoxin: sodium channel specific anti-arrhythmic activity: Henry J Duff, Robert S Sheldon, Nancy J Cannon 800
Pharmacological response of quinidine induced early afterdepolarisation in canine cardiac Purkinje fibres: insights into underlying ionic mechanisms: Stanley Nattel, Mackenzie A Quantz 808
Pacing and reperfusion induced arrhythmias: protection by slow heart rate in the rat heart: Arpad Tosaki, Susan Balint, Laszlo Szekeres 818
Reduced lipid peroxidation in dilated hearts of cardiomyopathic turkeys: Daniela Lax, Shu-Lun Zhang, Ying Li, Lee Williams, James M Berry, Joseph Elsperger, Nancy A Staley, George R Noren, Stanley Einzig 826
Depletion of myocardial glutathione: its effects on heart function and metabolism during ischaemia and reperfusion: John C Chatham, Anne-Marie L Seymour, Eef Harmsen, George K Radda 833
[^{3}H]-Nitrendipine binding sites in normal and cardiomyopathic hamsters: absence of a selective increase in putative calcium channels in cardiomyopathic hearts: Susan E Howlett, Victor F Rafuse, Tessa Gordon 840
Notices of meetings 846

No 12 DECEMBER 1988

Editorial: Modification of class III anti-arrhythmic activity in abnormal myocardium: Stuart M Cobbe 847

Simultaneous measurement of velocity, diameter, flow and pressure in the ascending aorta of cats. Evaluation of an extractable Doppler ultrasound probe for continuous monitoring of aortic blood flow: Knut Matre, Leidulf Segadal . . . 855

Application of a time varying elastance model to right ventricular performance in man: Louis J Dell'Italia, Richard A Walsh 864

Significance of right atrial function during right sided inotropic stimulation of pig hearts in situ: Øystein A Vengen, Øyvind Ellingsen, Knut Lande, Arnfinn Ilebekk 875

Effects of graded intensity of oxygen deficiency on function and energy metabolism in post-ischaemic myocardium: Hans Martin Hoffmeister, Rainer Storf, Ludger Seipel 881

A non-linear elastic model of contraction of ischaemic segments: Makoto Akaishi, Ricky M Schneider, Paul A Seelaus, Lloyd W Klein, Jai B Agarwal, Richard H Helfant, William S Weintraub 889

Simultaneous endocardial and epicardial monophasic action potential recordings during brief periods of coronary artery ligation in the dog: influence of adrenaline, beta blockade and alpha blockade: Peter Taggart, Peter M I Sutton, David W Spear, Helen F Drake, R Howard Swanton, Richard W Emanuel . . 900

Indomethacin, but not oxygen tension, affects the sensitivity of isolated neonatal rabbit ductus arteriosus, but not aorta, to noradrenaline: Gordon C S Smith, John C McGrath 910

Superoxide dismutase plus catalase improves post-ischaemic recovery in the diabetic heart: Galen M Pieper 916

Protective effect of exogenous fructose-1,6-diphosphate in cardiogenic shock: J-N Zhang, F-M Zhang, W-S Ma, T Forrester 927

Notice of Meetings 932